

PRODUCT DATA SHEET

Digital Thermometers

Type K or Type J/K Dual Input Models

Type K Thermocouple Model 421501 Features:

- Rugged design with protective holster/stand
- Super large 0.8" (20mm) 3-1/2 digit (2000 count) LCD with backlighting
- Switchable 0.1°/1° resolution with basic accuracy of 0.3%
- Selectable °C/°F units with MAX and HOLD functions
- Water resistant housing meets IP64
- Includes Protective holster, bead wire temperature probe and 9V battery



Model 421501

Specifications: Model 421500

Range	Accuracy \pm (%rdg + digits)	Resolution
-50° to 1000°C	\pm (0.3% +1°C); > 1000°C (0.5% +1°C)	0.1/1°
-58° to 2000°F	\pm (0.3% rdg + 2°F)	0.1/1°

Type J/K Dual Input Model 421502

- Large multi-function 4-1/2 digit (20000 count) LCD
- Resolution to 0.1° with basic accuracy of 0.05%
- New watertight housing with super large 0.8" (20mm) LCD displays T1, T2 or T1-T2
- LCD displays Elapsed Time
- Selectable °C/°F units; water resistant housing
- MAX/MIN, AVG, REL, and HOLD functions
- Programmable HI/LO audible alarms
- Includes 2 Type K bead wire probes, rubber holster and 9V battery. Order J probes separately.



Model 421502

Specifications: Model 421502

Type J	Type K	Accuracy \pm (%rdg + digits)	Resolution
-200 to 1050°C	-200 to 1370°C	\pm (0.05%+0.3°C) < 50° > \pm (0.05%+0.7°C)	0.1°
-328 to 1922°F	-328 to 2498°F	\pm (0.05%+0.6°F) < -58°F > \pm (0.05%+1.4°F)	0.2°

Ordering Information

- 421501.....Digital Type K Thermometer
- 421501-NIST..Digital Type K Thermometer w/NIST Certificate
- 421502.....J/K Dual Thermocouple Thermometer
- 421502-NIST..J/K Dual Thermocouple Thermometer w/NIST Certificate

Accessories

- 872502.....Type J Bead Wire Probe
- 801515.....Type J Stainless Steel General Purpose Probe
- 872501.....Spare Type K Bead Wire Probe
- 871515.....Type K Stainless Steel General Purpose Probe
- 409997.....Vinyl Pouch Carrying Case

EXTECH
INSTRUMENTS

ISO 9001 Certified

02/98 - R3

EXTECH INSTRUMENTS CORPORATION
285 Bear Hill Road, Waltham, MA 02451-1064
Phone: 781-890-7440 • FAX 781-890-7864 • www.extech.com