

Index

- ADELINE (Advanced Daylighting and Electric Lighting Integrated New Environment), 142
- AdvanTex Treatment System, 38, 129–130
- aeration of soil, 53, 120
- aerobic treatment units (ATUs), 38
- air pollution, 89
- air quality and microclimate, 55–63
- microclimate variables, 55
 - overview, 55–56
 - plants, 55
 - smog, 55
 - trees, 55–63
 - volatile organic compounds (VOCs), 55
- AIRR (Alternating Intermittent Recirculating Reactor), 128–129
- Alaska Materials Exchange, 104
- Alternating Intermittent Recirculating Reactor (AIRR), 128–129
- “Alterra” (Institute for Forestry & Nature Research), 165–166
- Alumnae Valley Restoration Project at Wellesley College, 184–188
- AMD&ART project, 71
- amphibians
- and buffer zones, 73–74
 - and roads, 83–84
- anaerobic digestors, 134
- animals, and roads, 82–83
- arch culverts, 77
- arid regions, 20, 44
- asphalt
- porous, 24, 25, 123–124
 - recycled, 103
- ATUs (aerobic treatment units), 38
- AX20 residential tank, 38
- Ballard Public Library, green roof system at, 26
- Balmori, Diana, 6

- bamboo garden, 27
- basins
 - catch basins, 31, 33–34
 - detention basins, 68
 - infiltration basins, 30, 126
- BASINS (Better Assessment Science Integrating Point and Nonpoint Sources), 32, 138–139
- Beacon Landing, Beacon, New York, 194–195
- Bellow, Patrick, 164
- Belmar, Lakewood, Colorado, 183–184
- Benoit, Gaboury, 6
- Berlin's Photonics Center, 148
- BES (Bureau of Environmental Services), 158
- best management practices (BMPs), 162
- Better Assessment Science Integrating Point and Nonpoint Sources (BASINS), 32, 138–139
- biking, 90, 95
- biochemical oxygen demand (BOD), 34
- Bioengineering Group, 152
- biogas, 134, 142
- Bio-Matter Resequencing Converter (BMRC), 130
- bioretention areas, 30–31
- bioretention swales, 153
- BIPV (building integrated photovoltaic) systems, 133
- birds
 - and buffer zones, 73
 - use of ecological corridors, 79
- blackwater, 126–132
- blankets, 109
- Bloedel Reserve, Bainbridge Island, 43
- BMPs (best management practices), 162
- BMRC (Bio-Matter Resequencing Converter), 130
- BOD (biochemical oxygen demand), 34
- box culverts, 77
- branch boxes, 116
- brownfields, case studies, 184–189
 - Alumnae Valley Restoration Project at Wellesley College, 184–188
 - Ford Rouge Motor Plant, 188–189
- “Brundtland Report,” 5
- brush layers, 117
- buffers, 18, 66
- Builders for Bay, Chesapeake Bay, Maryland, 196–197
- BuildingGreen website, 103
- building integrated photovoltaic (BIPV) systems, 133
- buildings, and land development lifetime, 100
- Butterfield Luton Commercial Park, 162–164

- CaCl₂, 34
- Calcium-magnesium acetate (CMA), 34
- California Materials Exchange, 104
- Caliper Corporation Web site, 145
- carbon dioxide, 89
- carpooling, 90

- case studies, 148–197
 - brownfields, 184–189
 - Alumnae Valley Restoration Project at Wellesley College, 184–188
 - Ford Rouge Motor Plant, 188–189
 - energy, 162–166
 - Butterfield Luton Commercial Park, 162–164
 - Institute for Forestry & Nature Research (“Alterra”), 165–166
 - industrial ecology, 192–193
 - infrastructure as public space, 166–170
 - Prairie Waterway, 166–169
 - Riverbank State Park in Harlem, 169–170
 - methods and materials, 189–192
 - GreenSkate Laboratory, 191–192
 - LivingHomes, LLC, 189–191
 - partnerships, 194–197
 - Beacon Landing, Beacon, New York, 194–195
 - Builders for Bay, Chesapeake Bay, Maryland, 196–197
 - Civano Project, 196
 - sustainable suburbanism, 170–176
 - Pennsylvania Growing Greener Program, 170–172
 - Ringfield, 172–174
 - Widow’s Walk Golf Course, 174–176
 - sustainable urbanism
 - block scale, 176–178
 - city scale, 178–184
 - water, 148–162
 - Emerald Square Mall, 160–162
 - Herman Miller Factory Landscape, 148–151
 - Meadow Creek Watershed Restoration at the University of Virginia (UVA), 156–158
 - Oregon Museum of Science & Industry (OMSI), 158–159
 - Ray and Maria Stata Center at Massachusetts Institute of Technology (MIT), 159–160
 - Sidwell Friends School, Washington, D.C., 154–156
 - Whitney Water Purification Facility and Park, 152–153
- catch basins, 31, 33–34
- CBA (Chesapeake Bay Alliance), 197
- CEIT (Center for Environmental Industry and Technology), 128
- Center for Watershed Protection (CWP), 119, 197
- check dams, 14, 15
- Checker Block, 125
- chemicals, for lawn treatment, 29
- Chesapeake Bay Alliance (CBA), 197
- cisterns, 41
- Civano Project, 196
- closed-loop recycling, 99
- cloudiness of water, 51–52
- cluster development, 28, 72
- CMA (Calcium-magnesium acetate), 34
- coconut fiber, 108, 113, 114
- coconut fiber blanket, 111
- coir fiber, 113–115
- Colorado Materials Exchange, 104

- COMIS (Conjunction of Multizone Infiltration Specialists), 141–142
- compaction of soil, 28, 53, 120
- compost, 35, 108, 109
- Computational Hydraulics, Inc. PCSWMM Web site, 139
- computer models, 134–145
 - energy, 142–144
 - Biogas!, 142
 - DOE-2, 142–143
 - EnergyPlus, 143
 - Home Energy Saver, 144
 - ProForm, 144
 - lighting, 142
 - soil erosion, 141
 - stormwater flow, 135–137
 - HEC-1 (Hydrologic Engineering Center), 137
 - HydroCAD, 135–137
 - rational method, 135
 - TR-55, 137
 - stormwater quality, 137–140
 - Better Assessment Science Integrating Point and Nonpoint Sources (BASINS), 138–139
 - Hydrologic Simulation Program—Fortran (HSPF), 138
 - MOUSE, 138
 - PCSWMM, 139–140
 - QUAL2K, 137–138
 - Soil Water Assessment Tool (SWAT), 139
 - Stormwater Management Model (SWMM), 139
 - transportation, 144–145
 - TRANsportation PLANning (TRANPLAN), 144
 - Urban Transportation Planning System (UTPS), 144–145
 - wind/air, 141–142
 - Conjunction of Multizone Infiltration Specialists (COMIS), 141–142
 - Windrose Plots (WRPLOT View), 141
- concrete
 - porous, 123
 - recycled, 101, 103
- concrete filters, 17
- Conjunction of Multizone Infiltration Specialists (COMIS), 141–142
- conservation plan, 65–67
- constructed wetlands, 37, 40
- construction sites
 - phasing construction, 48
 - and slopes, 49–51
 - use of fences and barriers around, 62
 - waste from, 103
- contaminants
 - categorization of, 30
 - in runoff water, 29
 - in stormwater, reducing, 31
- ConTech, 121
- cotton thread, 115
- cradle-to-grave life-cycle assessment (LCA), 100
- crumb-rubber surfaces, recycled, 101

- culverts, 77, 83–84
- CWP (Center for Watershed Protection), 119, 197
- dams, 14
- debris piles, woody, 85
- detention basins, 68
- DOE-2, 142–143
- drainage, 7–16
 - check dams, 14
 - geographic information system (GIS) software, 9
 - grass-lined swales, 13
 - Hydrological Simulation Program—Fortran (HSPF), 9
 - hydrologic cycle, 8
 - hydrologic modeling, 9
 - low-impact development (LID), 7
 - maps for drainage plans, 9
 - rain gardens, 16
 - Rational Method to quantify and predict, 9
 - runoff, treating at source, 11
 - Storm Water Management Model (SWMM), 9
 - subwatersheds, 9
 - vegetated setbacks, 15
 - water channels, 13
- drainage channels, vegetated, 125–126
- drought-tolerant plants, 44
- dry swales, 125–126
- dry wells, 120–121
- dust control, 58
- ecological corridors, 79–82
- ecological movement, 147–148
- Ecological Society of America, 63
- embodied energy, 99
- Emerald Square Mall, Attleboro, Massachusetts, 160–162
- Emmet Street Garage, 158
- energy, 89–97
 - case studies, 162–166
 - Butterfield Luton Commercial Park, 162–164
 - Institute for Forestry & Nature Research (“Alterra”), 165–166
 - computer models, 142–144
 - Biogas!, 142
 - DOE-2, 142–143
 - EnergyPlus, 143
 - Home Energy Saver, 144
 - ProForm, 144
 - embodied, 99
 - full cutoff lighting, 90, 96–97
 - renewable, 132–134
 - biogas/anaerobic digestors, 134
 - photovoltaics, 132–133
 - wind turbines, 133–134
 - transportation, 90–95
 - wind energy, 91, 92

- Energy Efficiency and Renewable Energy, Energy Plus Web site, 143
- EnergyPlus, 143
- Enviro Concrete, 123
- environmental engineering, 107–145
 - computer models, 134–145
 - energy, 142–145
 - lighting, 142
 - soil erosion, 141
 - stormwater flow, 135–137
 - stormwater quality, 137–140
 - transportation, 144–145
 - wind/air, 141–142
 - erosion prevention and control, 107–119
 - coir fiber, 113–115
 - fascines, 113
 - fiber logs, 113
 - mats and blankets, 109
 - monitoring turbidity, 118–119
 - mulches, 108–109
 - organic berms, 112
 - shoreline and streambank protection, 116–118
 - silt fencing and straw bales, 109–112
 - renewable energy, 132–134
 - biogas/anaerobic digestors, 134
 - photovoltaics, 132–133
 - wind turbines, 133–134
 - stormwater management, 119–132
 - blackwater treatment, 126–132
 - dry wells, 120–121
 - infiltration basins, 126
 - permeable paving, 123–125
 - rainwater harvesting, 122–123
 - soil aeration, 120
 - underground vault/tanks, 121
 - vegetated drainage channels, 125–126
- Environmental Literacy Council, 103
- EPA (Environmental Protection Agency)
 - Hydrologic Simulation Program–Fortran (HSPF), 9, 31–32
 - publications for preparing drainage maps, 11
 - Storm Water Management Model (SWMM), 140
- erosion prevention and control, 45–52, 107–119
 - coir fiber, 113–115
 - fascines, 113
 - fiber logs, 113
 - mats and blankets, 109
 - monitoring turbidity, 118–119
 - mulches, 108–109
 - organic berms, 112
 - phasing construction, 48
 - and plants, 45–46
 - shoreline and streambank protection, 116–118
 - silt fences, 49, 50
 - silt fencing and straw bales, 109–112

- slopes, 45–46, 49–51
- turbidity of water, 51–52
- urban land and sediment pollution, 45
- EUTROMOD (EUTROphication MODel), 32
- EUTROphication MODel (EUTROMOD), 32
- evapotranspiration, 30
- exotic landscape plants, 84

- fascines, 113
- Federal Interagency Committee for the Management of Noxious and Exotic Weeds, 88
- fences
 - silt, 49, 50, 109–112
 - wattle, 117
- fiber logs, 113
- 50-year storm, 14
- fill, 101
- first flush phenomenon, 31
- five-year storm, 14, 43
- floating filters, 17
- floods, classification of, 12
- Florida Materials Exchange, 104
- Ford Rouge Motor Plant, 188–189
- fragmentation of landscapes, 79
- full cutoff lighting, 90, 96–97

- garages, and impervious cover, 23
- garden roof, 26. *See also* green roof systems
- GeoCHEM, Inc., 124
- geographic information system (GIS) software, 9
- Georgia Enviroshare, 104
- GIS (geographic information system) software, 9
- glass houses, 166
- Glenn, Steve, 191
- golf courses, 174–176
- grass channels, 125
- Grasscrete, 125
- grass-lined swales, 13
- grass roofs. *See* green roof systems
- graywater, 42
- green roof systems, 24, 25, 26, 27, 152
- GreenSkate Laboratory, 191–192
- grouping houses, 72

- habitat. *See also* living resources
 - buffering, 73–79
 - preserving and restoring, 67–73
- Hamilton County Interchange, 105
- Hardy, Rod, 167
- Hawaii Materials Exchange, Maui Aloha Shares, 104
- hay bale barriers, 49
- hazardous waste disposal, 29–30
- heat island effect, 56

- heavy metals, as pollutant, 32
- HEC-1 (Hydrologic Engineering Center), 137
- Herman Miller Factory Landscape, 148–151
- heterogeneous landscapes, 87
- Holl, Steven, 152
- Home Energy Saver, 144
- horizons, soil, 53
- household hazardous waste disposal, 29–30
- HSPF (Hydrologic Simulation Program-Fortran), 9, 31–32, 138
- Hudson Valley Materials Exchange, 105
- HydroCAD, 135–137
- hydrocarbons, 63
- hydrologic cycle, 8
- Hydrologic Engineering Center (HEC-1), 137
- hydrologic modeling, 9
- Hydrologic Simulation Program-Fortran (HSPF), 9, 31–32, 138
- hydrology, 148
- hydropower, 134
- hydroseed, 49, 108
- Hydrotech’s Garden Roof, 26

- Illinois Industrial Material Exchange Service, 104
- impervious surfaces, 16–29
 - buffers, 18
 - concrete filters, 17
 - floating filters, 17
 - rain gardens, 16
 - tank storage and filter systems, 17
 - watersheds, 19
- Indiana Materials Xchange, 104
- industrial ecology, 99–103, 192–193
- industrial symbiosis, 99, 100
- infiltration, effect of urbanization on, 20
- infiltration basins, 30, 126
- infiltration trench, 127
- Infinity Water Recycling System, 130
- infrastructure as public space, 166–170
- in-ground treatment devices, 31
- Institute for Forestry & Nature Research (“Alterra”), 165–166
- Integrated Pest Management, 87
- International Dark Sky Association, 96
- Invisible Structures, Inc., 124

- Judith Nitsch Engineering, 156
- jute fabric, 108, 115

- Kalundborg Industrial Park, 192–193
- Kentucky Division of Water, 119
- Kentucky Industrial Materials Exchange, 104

- Lakes Environmental Software, 63
- lake shoreline buffers, 77
- LAND code points, how determined, 3–5

- landscape connectivity, 79–82
- landscape heterogeneity, 84–88
- lawn, 85
- lawn chemicals, 29
- LCA (life-cycle assessment), 99–100
- LEED (Leadership in Energy and Environmental Design) Green Building Council rating system, 2
- LID (low-impact development), 7, 20
- life-cycle assessment (LCA), 99–100
- lighting
 - computer models, 142
 - full cutoff, 90, 96–97
- light rail system, 94
- live stakes, 116
- LivingHomes, LLC, 189–191
- living resources, 65–88
 - buffering critical habitat, 73–79
 - conservation plan, 65–67
 - landscape connectivity, 79–82
 - native species and landscape heterogeneity, 84–88
 - preserving and restoring habitat, 67–73
 - road placement and design, 82–84
- Los Angeles County Materials Exchange, 104
- low-impact development (LID), 7, 20

- macrophytes, 52
- Maine Materials Exchange, 104
- mammals, use of ecological corridors, 79–80
- maps for drainage plans, 9
- Maryland Building Materials Reuse Center, 104
- Massachusetts Materials Exchange, 104
- mats, 109
- Meadow Creek Watershed Restoration at the University of Virginia (UVA), 156–158
- Michigan Materials Exchange, 104
- microclimate, and air quality, 55–63
 - microclimate variables, 55
 - overview, 55–56
 - plants, 55
 - smog, 55
 - trees, 55–63
 - volatile organic compounds (VOCs), 55
- microhydropower, 134
- Minnesota Materials Exchange, 104
- MIT (Massachusetts Institute of Technology), 159–160
- modeling water flow, 9
- modeling water quality, 31
- monitoring turbidity, 118–119
- Montana Materials Exchange, 104
- Moorish, William, 167
- moss gardens, 43
- MOUSE, 138
- mowers, mulching, 36

- mulches, 103, 108–109
- mulching mowers, 36
- Multi-Stream, 125
- Murphy-Dunning, Colleen, 6

- NALMS (North American Lake Management Society), 32
- NapaMax Materials Exchange, 104
- National Invasive Species Council, 88
- National Invasive Species Information Center, 88
- National Park Service, Alien Plant Invaders of Natural Areas, 88
- native plant species, 66
- native species and landscape heterogeneity, 84–88
- “Natural Development: Towards Certification of New Uses of Green and Brownfields” course, 6
- Nature Conservancy, Wildland Invasive Species Program, 88
- NDS, Inc., 124
- Nebraska Materials Exchange, 104
- nephelometric turbidity unit (NTU), 51, 52, 119
- Nevada Materials Exchange, Washoe County Materials Exchange Network, 104
- New Hampshire Materials Exchange, 104
- New York Waste Match, 104
- Norddeutsche Landesbank am Friedrichswall, 176–178
- North American Lake Management Society (NALMS), 32
- Northwest Materials Exchange, 105
- Nostrand, Chris, 191
- Nostrand, Terri, 191
- NO_x, 63
- NTU (nephelometric turbidity unit), 51, 52, 119
- nutrients, as pollutant, 32

- Ohio’s Material Exchange, 105
- OMSI (Oregon Museum of Science & Industry), 158–159
- 100-year flood, 12
- Oregon Museum of Science & Industry (OMSI), 158–159
- Orengo Effluent Sewer, 129–130
- organic berms, 112
- “Our Common Future” publication, 5
- overpasses, wildlife, 83

- packaging, 102
- PAM (polyacrylamide), 49, 108
- parking, 23, 92
- partnerships, case studies, 194–197
 - Beacon Landing, Beacon, New York, 194–195
 - Builders for Bay, Chesapeake Bay, Maryland, 196–197
 - Civano Project, 196
- Paschich, Ed, 191
- pathogens, as pollutant, 32
- pavers
 - grassy, 124–125
 - porous block, 125

- paving
 - light-colored, 56
 - permeable, 123–125
 - porous, 24, 25
- PCSWMM, 139–140
- peat, 39
- Pennsylvania Growing Greener Program, 170–172
- permanent turf reinforcement mats, 110
- permeable paving, 123–125
- pesticides, 32, 87
- phasing construction, 48
- Photonics Center (Berlin), 148
- Photonics Center in Adlershof, 178–180
- photovoltaic panels, 93
- photovoltaics, 132–133
- plants. *See also* trees
 - in constructed wetlands, 37
 - drought-tolerant, 44
 - effect of soil compaction on, 120
 - effect on air quality, 55
 - exotic, 84
 - native plant species for landscaping, 66
 - and property value, 47
 - and soil erosion, 45–46
 - and volatile organic compounds (VOCs), 55
 - and water turbidity (cloudiness), 52
- plastic grid/grass, 124
- pollution
 - air, 89
 - sediment, 45
- polyacrylamide (PAM), 49, 108
- polypropylene netting, 111
- ponds, temporary, 74
- pools, vernal, 74, 78
- porous paving, 24, 25, 123, 125
- Portland Bureau of Environmental Services (BES), 158
- postconstruction tilling, 29
- Prairie Waterway, 166–169
- prefabricated homes, 189–191
- ProForm, 144
- property value
 - and plants, 47
 - and trees, 59
- public transportation, 90–94

- QUAL2K, 137–138

- rain gardens, 16, 39, 155
- rainwater harvesting, 122–123
- Rational Method, 9, 135
- Ray and Maria Stata Center at Massachusetts Institute of Technology (MIT), 159–160

- recycled materials, 101
- Recycle Iowa, 104
- regional flood, 12
- RENEW (Texas Resource Exchange Network for Eliminating Waste), 105
- renewable energy, 132–134
 - biogas/anaerobic digestors, 134
 - photovoltaics, 132–133
 - wind turbines, 133–134
- Ringfield, 172–174
- Rio Piedras Stream Restoration, 180–183
- riparian buffers, 73, 75–76, 80
- riparian zones, 66, 79
- riverbanks, 118
- Riverbank State Park in Harlem, 169–170
- Rivers and Estuaries Center on the Hudson, 195
- R.K. Manufacturing, 124
- road placement and design, 82–84
- roads
 - and impervious cover, 22, 23
 - salt on, 36
- Rockefeller University’s Program for Human Environment, 103
- Romantic Movement, 147–148
- roofs, green roof systems, 24, 25, 26, 27
- Rugh, Clayton, 188
- runoff
 - contamination of, 29
 - effect of urbanization on, 20
 - treating at source, 11

- salt, used on road, 36
- sandbar willow pole, 118
- sand filters, 30, 37
- Scenic Hudson Inc., 194–195
- sediment forebays, 126
- sediment pollution, and urban land, 45
- septic tanks, 34, 37
- Sevenmile River, 160
- shoreline and streambank protection, 116–118
- Sidwell Friends School, Washington, D.C., 154–156
- silt fences, 49, 50, 109–112
- Silvercup Studios, 26
- site drainage, 7–16
 - check dams, 14
 - geographic information system (GIS) software, 9
 - grass-lined swales, 13
 - Hydrological Simulation Program—Fortran (HSPF), 9
 - hydrologic cycle, 8
 - hydrologic modeling, 9
 - low-impact development (LID), 7
 - maps for drainage plans, 9
 - rain gardens, 16
 - Rational Method to quantify and predict, 9

- runoff, treating at source, 11
- Storm Water Management Model (SWMM), 9
- subwatersheds, 9
- vegetated setbacks, 14
- water channels, 13
- slab culverts, 77
- slopes, 45–46, 49–51, 114, 116–118
- Smick, Lee, 167
- smog, 55
- snags, 85
- sod, 108
- soil aeration, 120
- Soil and Water Assessment Tool (SWAT), 32
- soils, 45–53
 - aeration of, 53, 120
 - compaction of, 28, 53, 120
 - erosion prevention and control, 45–52
 - computer models, 141
 - phasing construction, 48
 - and plants, 45–46
 - silt fences, 49, 50
 - slopes, 45–46, 49–51
 - turbidity of water, 51–52
 - urban land and sediment pollution, 45
 - health and integrity, 52–53
- Soil Water Assessment Tool (SWAT), 139
- Solaire Building, New York, 27
- solar radiation, 56
- Sonomax Materials Exchange, 104
- South Carolina Waste Exchange, 105
- Southern Waste Information Exchange, 104
- sprawl, suburban, 68, 90
- steepness of land. *See* slopes
- stormwater management, 119–132
 - blackwater treatment, 126–132
 - dry wells, 120–121
 - infiltration basins, 126
 - permeable paving, 123–125
 - rainwater harvesting, 122–123
 - soil aeration, 120
 - underground vault/tanks, 121
 - vegetated drainage channels, 125–126
- Storm Water Management Model (SWMM), 9, 139, 140
- stormwater quality
 - Better Assessment Science Integrating Point and Nonpoint Sources (BASINS), 32
 - catch basins, 33–34
 - computer models, 137–140
 - Better Assessment Science Integrating Point and Nonpoint Sources (BASINS), 138–139
 - Hydrologic Simulation Program—Fortran (HSPF), 138
 - MOUSE, 138

- stormwater quality
 - computer models (*continued*)
 - PCSWMM, 139–140
 - QUAL2K, 137–138
 - Soil Water Assessment Tool (SWAT), 139
 - Stormwater Management Model (SWMM), 139
 - constructed wetlands, 37, 40
 - Hydrologic Simulation Program–Fortran (HSPF), 31–32
 - in-ground treatment devices, 31
 - modeling water quality, 31
 - road salt, 36
 - sand filters, 37
 - septic tanks, 34, 37
 - Soil and Water Assessment Tool (SWAT), 32
- straw, 108, 111, 112
- straw bales, 109–112
- straw mulch, 49
- streambanks, 118, 119
- streetlights, 96
- streets, and impervious cover, 22, 23
- subsurface flow constructed wetlands, 30
- subsurface septic chamber, 128
- suburban sprawl, 68, 90
- subwatersheds, 9
- sustainability, 5–6
- sustainable suburbanism, case studies, 170–176
 - Pennsylvania Growing Greener Program, 170–172
 - Ringfield, 172–174
 - Widow’s Walk Golf Course, 174–176
- sustainable urbanism
 - block scale, 176–178
 - city scale, 178–184
- swales, 125–126, 152, 153, 158–159
- SWAT (Soil and Water Assessment Tool), 32
- SWAT (Soil Water Assessment Tool), 139
- SWMM (Storm Water Management Model), 9, 139, 140
- tanks
 - AX20 residential tank, 38
 - for collecting rainwater, 17
 - septic tanks, 34, 37
 - tank storage and filter systems, 17
 - underground vault/tanks, 121
- Tarmac America, 123
- temporary ponds, 74
- Tennessee Materials Exchange, 105
- Texas Resource Exchange Network for Eliminating Waste (RENEW), 105
- Texas Water Development Board Web Site, 123
- Thomas, John, 189
- tilling, postconstruction, 29
- topographical maps for drainage plans, 9
- TR-55 model, 9, 137

- TransCAD, 145
- transportation, 90–95, 102
 - computer models, 144–145
 - TRANsportation PLANning (TRANPLAN), 144
 - Urban Transportation Planning System (UTPS), 144–145
- transsolar conducted shading, 57
- trees, 55–63
 - to encourage walking, 92
 - standing dead trees, 85
- Triangle J Council of Governments, 104
- truck transport, 102
- turbidity of water, 51–52
- turfgrass sod, 108
- Turfstone, 125
- turtles, and buffer zones, 73
- 25-year flood, 12
- two-year storm, 43

- underground cisterns, 41
- underground vault/tanks, 121
- undeveloped watersheds, 19
- United States Department of Agriculture (USDA), Soil and Water Assessment Tool (SWAT), 32
- Universal Soil Loss Equation (USLE/RUSLE [Revised]), 141
- University of Wisconsin, 105
- U.N. World Commission in a 1987 report on Environment and Development (WCED), 5
- urban, defined, 23
- urbanism, sustainable
 - block scale, 176–178
 - city scale, 178–184
- urbanization, effect on infiltration, 20
- urban land, and sediment pollution, 45
- Urban Transportation Planning System (UTPS), 144–145
- urban watersheds, 19
- USDA (United States Department of Agriculture) SWAT (Soil and Water Assessment Tool), 32
- U.S. EPA State-Specific Materials Exchange Information, 104
- USLE/RUSLE [Revised] (Universal Soil Loss Equation), 141
- UTPS (Urban Transportation Planning System), 144–145
- UVA (University of Virginia), 156–158

- Van Valkenburgh, M., 152
- vegetated drainage channels, 125–126
- vegetated setbacks, 14
- vegetated swales, 152
- vegetation. *See* plants; trees
- Ventura County Materials Exchange, 104
- Vermont Business Materials Exchange, 105
- vernal pools, 74, 78
- vertical-axis wind turbine, 92
- VOCs (volatile organic compounds), 55

- Washington, Oregon, and Idaho IMEX, 105
- Washington Reusable Building Materials Exchange, 105
- waste disposal, 29–30
- water, 7–44
 - case studies, 148–162
 - Emerald Square Mall, 160–162
 - Herman Miller Factory Landscape, 148–151
 - Meadow Creek Watershed Restoration at the University of Virginia (UVA), 156–158
 - Oregon Museum of Science & Industry (OMSI), 158–159
 - Ray and Maria Stata Center at Massachusetts Institute of Technology (MIT), 159–160
 - Sidwell Friends School, Washington, D.C., 154–156
 - Whitney Water Purification Facility and Park, 152–153
 - conservation and reuse, 42–44
 - impervious surfaces, 16–29
 - buffers, 18
 - concrete filters, 17
 - floating filters, 17
 - rain gardens, 16
 - tank storage and filter systems, 17
 - watersheds, 19
 - site drainage, 7–16
 - check dams, 14
 - geographic information system (GIS) software, 9
 - grass-lined swales, 13
 - Hydrological Simulation Program—Fortran (HSPF), 9
 - hydrologic cycle, 8
 - hydrologic modeling, 9
 - low-impact development (LID), 7
 - maps for drainage plans, 9
 - rain gardens, 16
 - Rational Method to quantify and predict, 9
 - Storm Water Management Model (SWMM), 9
 - subwatersheds, 9
 - vegetated setbacks, 14
 - water channels, 13
 - stormwater quality, 29–42
 - Better Assessment Science Integrating Point and Nonpoint Sources (BASINS), 32
 - bioretention areas, 30–31
 - catch basins, 31, 33–34
 - constructed wetlands, 37, 40
 - evapotranspiration, 30
 - first flush phenomenon, 31
 - hazardous waste disposal, 29–30
 - Hydrologic Simulation Program—Fortran (HSPF), 31–32
 - infiltration basins, 30
 - in-ground treatment devices, 31
 - modeling water quality, 31
 - postconstruction tilling, 29
 - road salt, 36
 - sand filters, 30, 37

- septic tanks, 34, 37
- Soil and Water Assessment Tool (SWAT), 32
- subsurface flow constructed wetlands, 30
- turbidity (cloudiness) of, 51–52
- water channels, 13
- water quality meters, 119
- watersheds, 19
- wattle fences, 117
- WCED (World Commission in a 1987 report on Environment and Development), U.N., 5
- wells, dry, 120–121
- West Central Minnesota MATCH, 104
- West Virginia Materials Exchange, 105
- wetland buffers, 73
- wetlands, constructed, 37, 40
- wet swales, 126
- Whitney Water Purification Facility and Park, 152–153
- Widow's Walk Golf Course, 174–176
- wildflowers, 43
- Wildlife Habitat Council, 88
- wildlife overpasses, 83
- wind/air, computer models, 141–142
 - Conjunction of Multizone Infiltration Specialists (COMIS), 141–142
 - Windrose Plots (WRPLOT View), 141
- wind energy, 91
- Wind Energy Resource Atlas of the United States, 133
- Windrose Plots (WRPLOT View), 141
- wind turbines, 133–134
- Wisconsin Business Materials Exchange, 105
- wood chips, 109
- wood excelsior, 108
- wood waste, 108
- woody debris piles, 85
- World Commission in a 1987 report on Environment and Development (WCED), U.N., 5
- WRPLOT View, 63
- WRPLOT View (Windrose Plots), 141
- xeriscapes, 44
- Yale School of Architecture, 6
- Yale School of Forestry and Environmental Studies, 6
- YSI (Yellow Springs Instruments) water quality meter, 119

For these and other Wiley books on sustainable design, visit www.wiley.com/go/sustainabledesign

ALTERNATIVE CONSTRUCTION: CONTEMPORARY NATURAL BUILDING METHODS

by Lynne Elizabeth and Cassandra Adams

CITIES PEOPLE PLANET: LIVEABLE CITIES FOR A SUSTAINABLE WORLD

by Herbert Girardet

DESIGN WITH NATURE

by Ian L. McHarg

ECODESIGN: A MANUAL FOR ECOLOGICAL DESIGN

by Ken Yeang

GREEN BUILDING MATERIALS: A GUIDE TO PRODUCT SELECTION AND SPECIFICATION, SECOND EDITION

by Ross Spiegel and Dru Meadows

GREEN DEVELOPMENT: INTEGRATING ECOLOGY AND REAL ESTATE

by Rocky Mountain Institute

THE HOK GUIDEBOOK TO SUSTAINABLE DESIGN, SECOND EDITION

by Sandra Mendler, William O'Dell, and Mary Ann Lazarus

SUSTAINABLE CONSTRUCTION: GREEN BUILDING DESIGN AND DELIVERY

by Charles J. Kibert

SUSTAINABLE COMMERCIAL INTERIORS

by Penny Bonda and Katie Sosnowchik

SUSTAINABLE DESIGN: ECOLOGY, ARCHITECTURE, AND PLANNING

by Daniel Williams

SUSTAINABLE RESIDENTIAL INTERIORS

by Associates III



Environmental Benefits Statement

This book is printed with soy-based inks on presses with VOC levels that are lower than the standard for the printing industry. The paper, Rolland Enviro 100, is manufactured by Cascades Fine Paper Group and is made from 100 percent postconsumer, de-inked fiber, without chlorine. According to the manufacturer, the following resources were saved by using Rolland Enviro 100 for this book:

Mature trees	Waterborne waste not created	Water flow saved (in gallons)	Atmospheric emissions eliminated	Energy not consumed	Natural gas saved by using biogas
225	103,500 lbs.	153,000	21,470 lbs	259 million BTUs	37,170 cubic feet