

INDEX

A

ABA, *see* Architectural Barriers Act
 Absorption cooling cycle, 248, 249
 Accessibility/accessible design, 462–489
 ADA and FHAA design requirements, 462–463
 Americans with Disabilities Act, 200, 203
 bathrooms, 483–486
 bathtubs, 235
 beds, 305
 cabinets, 297
 codes, laws, and regulations for, 462
 communications features, 478–479
 curbs and parking, 468–470
 doors, 476–478
 elevators, 472–474
 exterior doors, 150
 federal legislative process, 463
 kitchens, 486–489
 laundry rooms, 294
 lavatories, 234
 parking, 332
 protruding objects in circulation paths, 466
 ramps, 471–472
 reach ranges, 465
 residential bathrooms, 483–486
 residential kitchens, 486–489
 restaurants and bars, 303
 routes, 467–468
 sinks, 234
 stairs, 200, 302
 toilets and bathrooms, 479–483
 vertical clearance, 466
 walking surfaces, 467–468
 wheelchair clearances/turning space, 464
 wheelchair lifts, 474–476
 Acoustics:
 of linear metal ceilings, 223
 Acoustical panel ceilings, 220–221
 Acoustical tile ceilings, 221–222
 Acrylic bathtubs, 235
 Acrylic carpet fibers, 219
 Acrylic latex coating, 210
 Acrylic sealants, 113
 Active leaf, 186
 Acute care medical equipment, 286
 ADA, *see* Americans with Disabilities Act
 ADAAG, *see* Americans with Disabilities Act Accessibility Guidelines
 Adaptability:
 of bathroom features, 483, 485
 of kitchen features, 489
 steel joist floor framing for, 38
 Adhered veneers (thin brick veneers), 94
 Adhesives:
 for tile flooring, 213
 for tufted carpets, 219
 for wood, 408–409
 Admixtures, concrete, 371
 Aeolian soils, 4
 AESS (architecturally exposed structural steel) framing, 37
 Aggregate:
 porous, 329
 in terrazzo, 214
 Air barriers, 26, 123–124. *See also* Heat, air, and moisture door installation and, 151
 for low slope roofing, 157
 for steep slope roofing, 156
 in windows, 127
 Air change rate, 433
 Air-conditioning systems, 242. *See also* Heating, ventilating, and air conditioning
 Air filtration:
 by trees, 344
 with windows, 127
 Air flows, 432, 433
 Air gap backflow preventers, 237
 Air-handling units, 242, 244
 Air solar heating systems, 259
 Air-supported structures, 316–317
 Alkyd paint, on interior walls, 210
 All-air HVAC systems, 242–243
 Alloy metals, 395
 Allplan Architecture, 493
 Alluvial soils, 4
 All-water HVAC systems, 243–244
 Aluminum, 395, 396
 Aluminum entrance doors, 150
 Aluminum tubing, 400
 Ambient lighting, 272
 Ambulatory care rooms, 287
 Americans with Disabilities Act (ADA):
 design requirements, 462–463
 stairs design and, 200, 203
 Americans with Disabilities Act Accessibility Guidelines (ADAAG), 200, 462
 American National Standards Institute (ANSI), 271, 462
 American Society of Heating, Refrigerating, and Air-conditioning Engineers (ASHRAE), 240
 Anchors:
 ground (drilled tieback), 18
 for masonry, 375–376
 Anderson residence, Albuquerque, New Mexico, 461
 Angular distortion, settlement and, 10
 Angular speed, 521
 ANSI, *see* American National Standards Institute
 Antifreeze sprinkler systems, 263
 Applied fireproofing, 186
 Arches:
 lintels with, 380
 masonry, 386
 ArchiCAD, 493

Architectural Barriers Act (ABA), 200, 462
 Architecturally exposed structural steel framing (AESS), 37
 Architectural research, 500–505
 Architectural woodwork, 419–423
 Area, calculation of, 522
 Area lighting, 359
 Arena football goalpost and rebound net, 295
 Arid climates, 6–7
 ASHRAE (American Society of Heating, Refrigerating, and Air-conditioning Engineers), 240
ASHRAE Handbook of Fundamentals, 133
 Asphalt, porous, 329
 Assistive listening systems, 478
 Athletic equipment, 295–206
 Atrium design, energy-efficient, 444, 445
 Audible fire alarm systems, 278
 Autodesk Revit, 493–496
 Automated book storage and retrieval systems, 280
 Automatic banking systems, 479
 Automatic closing doors, 186
 Automatic door bottoms, 186
 Automatic fire-rated openings, 198
 Automatic fire suppression systems, 261
 Automatic irrigation valves, 342

B

Backer (joints), 113
 Backfill and backfilling, 19
 Backflow prevention:
 domestic water systems, 237–238
 irrigation systems, 343
 Backsplashes, 290, 301
 Balance and center matching (veneer), 421, 422
 Balanced doors, 186
 Balance matching (veneer), 421, 422
 Ballast (lamps), 274
 Bamboo flooring, 216
 Banquettes, 304
 Barrel tiles, 161
 Barrier walls, 26, 82, 127, 151
 Bar seating, 303–304
 Base cabinet construction, 300
 Basecoats (plaster), 207
 Basement construction, 16–24
 excavations, 16–18
 walls, 19–23
 Basement walls, 19–23
 backfilling against, 19
 concrete, 19
 dampproofing, 24
 masonry, 20–21
 thickness of, 20
 treated wood, 22–23
 vertical waterproofing, 24

- Base shear (static analysis, equivalent lateral force), 8
 - Basketball equipment, 295–296
 - Bassinets, 305
 - Bathrooms, accessible, 479–486
 - adaptability of features, 483, 485
 - bathtubs, 482, 485, 486
 - children's fixtures, 483
 - doors, 483
 - grab bars, 480, 483
 - lavatories, 482, 485
 - showers, 480, 483, 485, 486
 - toilets, 479–483
 - Bathtubs, 235, 482, 485, 486
 - Batten seam roofing, 170
 - Beam pattern (lighting), 272
 - Beams:
 - beam-to-column formwork, 364
 - cantilevered, 44, 45
 - concrete formwork for, 367–368
 - continuous span, 90
 - spandrel beam formwork, 365
 - unit masonry, 384, 385
 - Beam-to-column formwork, 364
 - Beds, 305
 - Bedrock, 4
 - Bent glass, 130
 - Bentley Building, 492–493
 - Bentinite waterproofing, 24
 - Bidets, 233–234
 - BIM, *see* Building information modeling
 - Biomes, 434
 - BIPV (building-integrated photovoltaics), 260
 - Bituminous walk/bike paths, 333
 - Bituminous waterproofing, built-up, 24
 - Blanket insulation, 75
 - Blowout flushing, 233
 - Boards:
 - composite, 157
 - fiberboard, 157, 415
 - fireproofing of, 186
 - gypsum, 415
 - hardboard, 193, 420
 - insulation, 75
 - oriented-strand board, 99, 418
 - protection, 24
 - Bond classifications (wood sheathing), 411
 - Bonded cores, 188
 - Bond patterns, masonry, 382
 - Book depositories, 280
 - Book matching (veneer), 421, 422
 - Book theft protection equipment, 280
 - Booths, restaurant, 304
 - Borrowed light, 126
 - Boulders, 4
 - Box matching (veneer), 423
 - Braced-core structural steel framing, 36
 - Brass, 395, 396
 - Brick, 383–385
 - face exposure, 383
 - pavers, 334
 - retaining walls, 338
 - Brick veneer seat walls, 341
 - Bronze, 395, 396
 - Brown coats, 207
 - Brownfield remediation, 434–435
 - Bubbler assemblies, 342
 - Bucks (door hardware), 186
 - Buildings:
 - architectural areas of, 522
 - architectural volume of, 523
 - healthy, 442–448
 - net assignable area, 523
 - Building codes, 462, 463
 - Building diagnostics, 501–505
 - Building information modeling (BIM), 491–499
 - applications related to, 497–499
 - CAD limitations overcome by, 492
 - Loblolly residence example of, 493–497
 - and related technologies, 492–493
 - SectionFormat*[™] for, 513
 - Building-integrated photovoltaics (BIPV), 260
 - Building section analysis, 122–124
 - Built-in bathtubs, 235
 - Built-up bituminous roofing, 166
 - Built-up bituminous waterproofing, 24
 - Busway systems, electrical, 266
 - Butcher block countertops, 301
 - Butt-type construction (dowels), 15
 - Butyl sealants, 113
- ## C
- Cabinets, 297–301
 - fire suppression, 263–264
 - for guest rooms, 306
 - Cable-supported structures, 321–322
 - CAD standards, 514–516
 - CAD technology, 492
 - Calcium silicate boards, applied fireproofing for, 186
 - Calendering, 210
 - California king beds, 305
 - Canopies, 74–75
 - Cantilevered beams, 44, 45
 - Carbon steel/iron, 395
 - Carpet flooring, 219
 - Carpet tiles, 219
 - Casework, 297–303
 - Casings:
 - for doors, 186
 - HVAC, 255–257
 - Cast-in-place concrete, 371–373
 - basement walls, 19
 - retaining walls, 339–340
 - slabs, 15
 - Cast iron:
 - bathtubs, 235, 395
 - for buildings, 396
 - Cast (molded) tiles, 221
 - Catalyzed epoxy paint, 210
 - Catches, cabinet, 300
 - Catchment areas/roofs, 239–240
 - Cathedral glass, 129
 - Cavity drainage, masonry, 378
 - Cavity walls, drained, 26, 127
 - Ceilings, 38, 220–223
 - Cementitious coatings, for EIFS, 113
 - Cementitious waterproofing, 24
 - Central HVAC systems, 241–242
 - Ceramic mosaic tiles, 211
 - Ceramic slate roofing, 165
 - Ceramic tile countertops, 303
 - CFS, *see* Cold-formed steel
 - Chairs, office, 309–311
 - Chaise lounges, 308
 - Channel glass curtain walls, 150
 - Chemical-based fire protection systems, 261, 262
 - Chemical finishes (metals), 397
 - Chemically treated glass, 129
 - Chests, for guest rooms, 306
 - Children's accessible fixtures, 483
 - Children's furnishings, 312
 - Chromium, 396
 - Circular stairs, 204, 205
 - Circulation paths, 453, 466
 - Cisterns, 239
 - Civil/mechanical utilities, 351–357
 - porous paving systems, 353–354
 - runoff control systems, 354–357
 - storm drainage, 352–353
 - subsurface drainage systems, 351
 - Civil rights laws, building codes and, 462
 - Classrooms, 312–314
 - Clay masonry, 91–93
 - Clay masonry units, 383–385
 - Clay soils, 4, 10
 - Clay tiles, 161, 211
 - Clean energy, 442–447
 - Clear repellents, 112–113
 - Clerestories, 126, 446
 - Climates, 5–7
 - affecting building shells, 26–27
 - cold and underheated, 5–6
 - foundation issues related to, 5–7
 - hot, arid, 6, 7
 - humid, overheated, 6, 7
 - mixed, 28
 - and passive solar heating, 445
 - Clip mounting, 109
 - Close-up inspection (technical research), 502
 - Closing, automatic, 186
 - Coated foam roofing, 168

- Coated glass, 130
 - Coatings, 210
 - for glass block, 387
 - for metals, 397
 - Cobbles, 4
 - Coefficient of performance (COP), 248
 - Coffee tables, 308
 - Cohesionless soils, 4
 - Cohesive soils, 4, 5
 - Coiling doors, 154
 - Cold climates, 5–6, 28
 - Cold-formed metal bracing, 114–115
 - Cold-formed metal framing, 114–115
 - Cold-formed steel (CFS), 39, 62, 91
 - Collector arrays, solar, 260–261
 - Colluvial soils, 4
 - Colors, concrete, 372–373
 - Color stability (lamps), 273
 - Columns:
 - formwork for, 364–366
 - reinforcement of, 370
 - stone, 392
 - unit masonry, 384, 385
 - Commercial food service equipment, 289–290
 - Commissioning, HVAC, 241
 - Common bond pattern, 382
 - Communications:
 - accessible features for, 478–479
 - electrical systems for, 278
 - emergency, for elevators, 473
 - perceptible information principle, 461
 - primary communications diagram, 431
 - Community design:
 - healthy, 441–442
 - sustainable, 430
 - Compaction, 19
 - Composite boards, 157
 - Composite decking, 49, 50
 - Composite roofing tiles, 164, 165
 - Composite veneers, 193
 - Compressors, refrigerant, 252
 - Computerized analysis, 123
 - Computing technologies, 490, 493. *See also* Building information modeling
 - Concrete, 363–373
 - admixtures, 371
 - basement walls, 19
 - cast-in-place, 371–373
 - formwork, 364–369
 - insulating, 157
 - paving, for pedestrian areas, 333
 - porous, 329
 - reinforcing, 370
 - retaining walls, 339–340
 - stairs, 201–202
 - Concrete floor framing, 29, 30, 33–35
 - Concrete masonry units, 88–90
 - of masonry metal components, 375
 - of metals, 396
 - Corrugated roofing, 170, 171
 - Cost data applications (*MasterFormat™*), 513
 - Cost information arrangements (*UniFormat™*), 511
 - COTE Top Ten Green Projects, 448–451
 - Counterflashing assemblies, 178
 - Counters:
 - for commercial kitchens, 289
 - in restaurants, 304
 - Countertops, 301–303
 - Coursed ashlar pattern, 392
 - Cove base, 218
 - Crawlspaces, 54–55
 - Credenzas (guest rooms), 307
 - Cribs, 305
 - Crossflow-induced, draft-packaged cooling towers, 251
 - Curbs, 329, 468–470
 - Curb parking, 331
 - Curb ramps, 468–469
 - Curtain walls, 142–150
 - channel glass, 150
 - characteristics of, 142–143
 - detailing for, 143
 - double façade, 150
 - installation of, 143–144
 - performance of, 143
 - specialized, 148
 - for windows, 143–147
 - Curved glass block panels, 389
 - Cushioned dock shelter, 288
 - Custom grade doors, 193
 - Cut stone, 390
 - Cylinder locks, 191
- ## D
- Dampproofing (basement walls), 24
 - Data file naming (*MasterFormat™*), 512
 - Daylighting systems, 272, 444
 - Deadbolts (of a lock), 191
 - Decay, of wood, 405
 - Decay-resistant wood, 405
 - Decks and decking, 48–53
 - composite, 49, 50
 - filigree slabs, 49
 - metal floor, 49
 - precast concrete, 48
 - roof, 71–72
 - wood, 50–52
 - Decorative coatings, 15
 - Decorative laminates, 420–421
 - Decorative silk-screened (frit) glass, 131
 - Decorative thin-wall tiles, 211
 - Deep foundations, 24
 - Degrees, 520
- Concrete tiles, for roofing, 161
 - Condensation, 122–123
 - glazing materials and, 133
 - in plumbing systems, 233
 - windows and, 127
 - Condensers, refrigerant, 251–252
 - Conductive tiles, 211
 - Conference rooms, 311–312
 - Conservation land trusts, 435
 - Console tables, 308
 - Consolidation (soils), 5
 - Constants, 521
 - Constant-volume HVAC systems, 253–255
 - Construction adhesives (wood), 408–409
 - Construction information systems, 509–513
 - MasterFormat™*, 509, 512–513
 - OmniClass Construction Classification System™*, 509–510
 - SectionFormat™*, 513
 - UniFormat™*, 509–511
 - Continuous edge grip, 109
 - Contract documents (*MasterFormat™*), 512
 - Contraction joints, *see* Control joints
 - Contrast control (lighting), 273
 - Control (contraction) joints:
 - glass block, 388, 389
 - masonry, 379–380
 - in slab-on-grade, 15
 - Conversion factors, 519–520
 - Convertible furnishings, 305
 - Conveying, 225–232
 - configurations for, 225
 - controls for, 225
 - design considerations for, 225
 - elevators, 225–230
 - escalators, 231–232
 - interfaces for, 225
 - moving walks, 231, 232
 - Cooking equipment, 290–293
 - Cooktops, 293
 - Cooling-only chilled water systems, 250
 - Cooling systems:
 - natural, 444
 - solar, 259
 - Cooling towers, 250–250
 - Cool roofs, 158
 - Coordinators (device), for doors, 186
 - COP (coefficient of performance), 248
 - Copings, 124, 125, 143
 - Copper, 395–396
 - Copper tubing, 400
 - Cores (interior doors), 188–189
 - Cork flooring, 218
 - Corners, masonry, 383
 - Corner office layouts, 310
 - Corrosion:
 - between flashing and materials, 378

- Delivery subsystem (HVAC), 242
 - Deluge fire-suppression sprinkler systems, 263
 - Density, sustainable communities and, 441
 - Desiccation (soils), 5
 - Design-build applications (*UniFormat™*), 511
 - Design earthquakes, 8
 - Desks, 307, 309–311
 - Destination-oriented elevator systems, 473
 - Development, sustainable, 428
 - Dialysis facilities, 287
 - Diamond matching (veneer), 423
 - Differential settlement, 10
 - Dimming, light, 272
 - Dining areas, 303–304
 - Direct-expansion HVAC system, 243
 - Direct gain solar heating, 446
 - Direct illumination, 272
 - Discipline and trade jurisdictions (*MasterFormat™*), 512
 - Dish tables, 290
 - Dishwashers, 294
 - Distortion, angular, 10
 - Distribution subsystem (HVAC), 242
 - air distribution, 252–255
 - duct systems, 256–257
 - District HVAC systems, 241
 - Diurnal rhythms, 434
 - Dividing powers, 520
 - Documents review (technical research), 502
 - Domes (structures), 317, 320
 - Domestic water systems:
 - distribution, 237–238
 - solar hot water, 258
 - Doors, 186–199
 - accessible, 471, 476–478, 483
 - air barriers and, 151
 - elevator, 474
 - exterior, 150–155
 - glass entrance, 151–152
 - hollow metal, 150
 - interior, 186–197
 - prehung, 150
 - revolving, 152–153
 - sectional, 154, 155
 - special types, 154–155
 - steel, 195–197
 - Door bevels, 186, 188
 - Door bolts, 191
 - Door bottoms, automatic, 186
 - Doorstops, 191
 - Dormers, 126
 - Double-acting interior doors, 188
 - Double beds, 305
 - Double check valve backflow preventers, 237
 - Double-egress doors, 186
 - Double façade curtain walls, 150
 - Double line joint sealants, 113
 - Downspouts, 174–175
 - Drainage:
 - domestic water systems, 238
 - with low slope roofs, 157–158
 - masonry, 378
 - rain water, 239–240
 - storm, 352–353
 - subsurface systems, 351
 - Drainage cavity walls, 151
 - Drainage plane walls, 26, 127, 151
 - Drainage wall, exterior, 82
 - Drained cavity walls, 26, 127
 - Drawings, organization of:
 - MasterFormat™* for, 513
 - UniFormat™* for, 511
 - Dressers (guest rooms), 306
 - Drift, 8
 - Drilled piers, 13, 14
 - Drinking fountains, 236
 - Driven piles, 24
 - Drop-in whirlpool bathtubs, 235
 - Dry-chemical fire-extinguishing systems, 262
 - Dry coolers, 252
 - Dryers, 94, 295
 - Dry gasketed joints, 109
 - Dry glazing, 143
 - Dry-pipe sprinkler systems, 263
 - Dry-placed stone retaining walls, 338
 - Dry-placed stone walls, 341
 - Dryset mortars, 212, 213
 - Dual-duct air distribution, 257
 - Ducts, HVAC, 255–257
 - Ductile iron, 395
 - Ductility, 8
 - Dynamic analysis (seismic design), 8
- ## E
- Early childhood classrooms, 312, 313
 - Earthquakes, 7
 - Earthwork, 327–328
 - Ecological design, 428
 - Ecological literacy, 431
 - Economy grade doors, 193
 - Ecosystems:
 - healthy, 434–435
 - regeneration of, 434
 - Edges and edging:
 - for acoustical panel ceilings, 220–221
 - for countertops, 301–302
 - EIFS, see Exterior Insulation and Finish Systems
 - Elastomeric coatings, 113
 - Electrical services, 266–278
 - branch wiring, 267–271
 - busway systems, 266
 - communications, 278
 - flat-cable wiring systems, 271
 - lighting, 271–278
 - motor starters, 266
 - panelboards, 266
 - residential electrical wiring, 267
 - secondary unit substations, 266
 - security, 278
 - switchboards, 266
 - Electrical utilities, 358–359
 - Electric strikes, 191
 - Electric traction elevators, 226–228
 - Electric water coolers, 236
 - Electrified exit devices, 186
 - Elementary schools, 313
 - Elevators, 225–230
 - accessible design for, 472–474
 - building characteristics for, 226
 - electric traction, 227–228
 - elevator cars, 225
 - freight, 230
 - hoistway, 225
 - hydraulic, 228–230
 - installation, 226–227
 - lobbies for, 225
 - machine rooms, 225
 - planning details, 226
 - types of, 225–226
 - universal design for, 459–461
 - Elevator cars, 225
 - Elliptical arches, 386
 - Embodied energy of materials, 436
 - Encapsulants, 186
 - End grain box matching (veneer), 423
 - End matching (veneer), 421, 422
 - Energy:
 - affecting shell, 26–27
 - clean, 442–447
 - design for conservation of, 432
 - energy saving building systems, 439
 - of glazing materials, 133
 - and lighting design, 272
 - of materials, 133, 436
 - performance of, 133
 - renewable, 432
 - solar, 258–261, 434
 - and sustainability, 28
 - Engineered flooring, 216
 - Engineered wood panels, 97
 - English bond pattern, 382
 - Entrance doors, 150
 - Environmental footprint, 432
 - Environmental impact of materials, 435–438
 - EPDM (ethylene propylene diene monomer) roofing, 167
 - Epoxies, 113
 - Epoxy ester paint, 210

- Epoxy grout, 213
 - Epoxy mortars, 213
 - Epoxy paint, 210
 - Equations, 520–521
 - Equipment, 280–296
 - accessible, 332
 - athletic, 295–296
 - commercial food service, 289–290
 - laundry rooms, 294–295
 - library, 280
 - medical, 286–287
 - residential kitchens, 290–294, 486
 - theater and stage, 281–285
 - vehicular, 288
 - Equitable use principle:
 - universal design, 454–458
 - Equivalent lateral force (base shear, static analysis), 8–9
 - Erosion control, 327
 - Escalators, 231–232
 - Ethylene propylene diene monomer (EPDM) roofing, 167
 - Evaporative condensers, 251–252
 - Examination rooms, medical facilities, 287
 - Excavations, 16–19
 - Exit devices, 191
 - Expansion due to moisture (wood), 403
 - Expansion joints (masonry), 379–380
 - Exposed aggregate surfaces, 373
 - Exposed applications, fire-resistance for, 186
 - Extended detention wetlands, 357
 - Extended plenum HVAC systems, 253
 - Exterior doors, 150–155
 - accessibility of, 150
 - coiling, 154
 - design considerations for, 150–151
 - glass entrance, 151–152
 - installation of, 151
 - revolving, 152–153
 - sectional, 154, 155
 - special types, 154–155
 - Exterior enclosures:
 - doors, 150–155
 - walls, 78–84
 - windows, 126–138
 - Exterior Insulation and Finish Systems (EIFS), 112–113
 - Exterior plywood, 413
 - Exterior stairs and ramps, 336–337
 - Exterior walls, 78–126
 - adhered veneers, 94
 - air barriers for, 123–124
 - assemblies for, 78–82
 - barrier, 82
 - clay masonry, 91–93
 - cold-formed metal framing and bracing, 114
 - concrete masonry units, 88–90
 - condensation and, 122–123
 - construction of, 114–118
 - copings, 124, 125
 - drainage, 82
 - glass fiber-reinforced concrete, 87–88
 - glass masonry units, 96–97
 - gravel stops, 124, 125
 - HAM and, 109
 - insulated metal panel wall assemblies, 108
 - insulating concrete forming, 97
 - metal cladding panels, 109
 - openings, 117–118
 - parapets, 124–125
 - precast concrete, 84
 - rainscreen panels, 97–98
 - seismic forces on, 119–120
 - sheathing for, 120–122
 - siding, 102–104
 - stone panels, 104–106
 - stone spandrel at foundation, 106
 - structural panels, 99–100
 - stucco, 100–101
 - tilt-up concrete, 82–84
 - vapor retarders for, 124
 - weather barriers for, 123–124
 - wind forces on, 119–120
 - Extra heavy duty doors, 196, 197
 - Extruded procured silicone strips, 113
- F**
- Fabricated fireproofed steel columns, 36
 - Fabricated stone panels, 106
 - Fabrication of metals, 396–397
 - Fabric structures, 322–323
 - Face exposure (brick), 383
 - Faceted stained glass, 131
 - Facilities management, 511, 513
 - Factory-formed metal panels, 108, 109
 - Fair Housing Amendments Act (FHAA), 462, 463
 - Fall, protection from, 158
 - Fan-coil air distribution, 257
 - Fastenings (wood), 408–410
 - decking, 53
 - preservative-treated wood, 406
 - Federal legislative process, 463
 - Ferrous metals, 395
 - FHAA, *see* Fair Housing Amendments Act
 - Fibers, carpet, 219
 - Fiberboard, 157, 415
 - Fibered plasters, 207
 - Fiberglass bathtubs, 235
 - Fiberglass wall coverings, 210
 - Field-assembled panels, 108, 109
 - Field density tests for compaction, 19
 - Fieldstone pattern, uncoursed, 391
 - Filigree slabs, 49
 - Fill, backfill and, 19
 - Filtration, air, 127
 - Finishes and finishing, 15
 - for concrete, 372–373
 - for conference rooms, 311
 - for fire-retardant wood, 407
 - for flooring, 211–215
 - for glass fiber-reinforced concrete, 87
 - for interiors, 207–223
 - for lamina, 112
 - for medical facilities, 286
 - on metals, 397
 - for plaster walls, 207–209
 - for precast concrete, 84
 - of preservative-treated wood, 406
 - for rainscreen panels, 97–98
 - for stone, 391
 - for walls, 207–213
 - wood as finishing material, 403
 - Finish coat, 207
 - FIP (formed-in-place sealant), 113
 - Fires, classification of, 261
 - Fire alarm systems, 278
 - Fire barriers, 198
 - Fire doors, 186, 199
 - Fire exit hardware, 186
 - Fire extinguishers, 264–265
 - Fireproofing:
 - applied, 186
 - for cable-supported structures, 322
 - steel joist floor framing for, 38
 - Fire protection, 261–265
 - alarm systems, 478
 - chemical systems, 262
 - codes and standards, 261
 - design considerations, 261
 - fire extinguishers, 264–265
 - fire suppression hoses, racks, and cabinets, 263–264
 - flame spread index, 408
 - foam extinguishing systems, 265
 - gas-based systems, 262
 - sprinklers, 262–263
 - standpipes, 263
 - water-based fire-suppression systems, 261
 - for wood construction, 405
 - Fire-rated openings, 198–199
 - Fire-resistance:
 - applied fireproofing, 186
 - of ceiling suspension systems, 221
 - design for, 186
 - of doors and openings, 198
 - of linear metal ceilings, 223
 - penetration firestopping, 186
 - Fire-retardant particleboard, 420
 - Fire-retardant treatment:
 - coatings, 210
 - for wood, 407–408

- Fixed furnishings, 297–304
 - cabinets, 297–301
 - casework, 297–303
 - countertops, 301–303
 - restaurant and bar seating, 303–304
 - Fixtures, plumbing, 233, 485
 - Fixture units, 233
 - Flame spread index, 408
 - Flashing, 157, 174–178
 - corrosion of, 378
 - counterflashing assemblies, 178
 - flat roof drainage, 176
 - flexible membrane, 124
 - gutters and downspouts, 174–175
 - masonry, 378
 - steep slope roofing, 156
 - through-wall, 98, 124
 - tile roofing with, 162
 - Flat-cable wiring systems, 271
 - Flatness. finish and floor, 15
 - Flat roof drainage, 176
 - Flat-sliced veneer, 421
 - Flat tiles, 161
 - Flemish bond pattern, 382
 - Flexibility in use principle (universal design), 458–459
 - Flexible membrane flashing, 124
 - Float glass, 129
 - Floors, 29–55. *See also* Flooring
 - concrete, 33–35, 370
 - construction of, 29–43, 370
 - crawlspace insulation and ventilation, 54–55
 - decks and slabs, 48–53
 - steel, 36–37
 - steel joist framing, 38
 - wood, 40–44
 - Floor flatness, 15
 - Flooring, 211–219
 - carpet, 219
 - finishes for, 211–215
 - plywood underlayment/subflooring, 416–417
 - resilient, 218
 - terrazzo floor finishes, 214–215
 - tile, 211–213
 - wood, 215–217
 - Flows, in nature, 432–434
 - Fluid-applied membranes, 123
 - Fluid-applied roofing, 168
 - Fluid-applied waterproofing, 24
 - Fluorescent lamps, 275–277
 - Flush bolts, 186, 191
 - Flushing mechanisms, 234
 - Flush inset cabinet construction, 299, 300
 - Flush overlay cabinet construction, 298
 - Flush valves, 234
 - Foam, precompressed, 113
 - Foam fire extinguishing systems, 265
 - Focus groups, 501
 - Food service equipment, commercial, 289–290
 - Footcandles, 220
 - Footings, 364, 365
 - concrete formwork for, 365–366
 - underpinning of, 11
 - Forestry, sustainable, 435
 - Formed-in-place sealant (FIP), 113
 - Formed sheet metal panels, 109
 - Formed sheet metal roofing, 170, 171
 - Formwork, concrete, 364–369
 - accessories, 368–369
 - beam-to-column, 364
 - columns, 364–366
 - footings, 364–366
 - joints, 364
 - lumber forms, 365
 - slabs and beams, 367–368
 - spandrel beams, 365
 - ties, 364, 368–369
 - tilt-up concrete, 365
 - wall panels, 364
 - walls, 364–367
 - Foundations, 10–15
 - climate issues, 5–7
 - drainage piping, 351
 - seismic design, 7–10
 - settlement and differential settlement, 10
 - shallow, 11–12
 - special, 13–15
 - stone spandrel at, 106
 - underpinning, 11–12
 - Four-centered arches, 386
 - Framing:
 - for fire-rated openings, 199
 - for floors, 29–43
 - for log structures, 324
 - for metal building systems, 319
 - for openings, 117–118
 - for skylights, 179, 180
 - structural metal, 398–401
 - for windows, 134–135
 - wood, 92, 403
 - F-ratings, 186
 - Freestanding bathtubs, 235
 - Freestanding stone walls, 341
 - Freezers (kitchens), 294
 - Freezing, ground, 18
 - Freezing degree day index, 6
 - Freight elevators, 226, 230
 - Frit glass, 131
 - Front-of-house dimensions (restaurants and bars), 303
 - “Frost action,” 6
 - Frost heaves, 6
 - FT (tempered) glass, 129
 - Full beds, 305
 - Fully adhered assemblies, 167
 - Furan mortars, 213
 - Furan resin grout, 213
 - Furnishings, 297–314
 - fixed, 297–304
 - library, 307
 - movable, 305–308
 - office, 309–312
 - school, 312–314
 - Furring, 207
- ## G
- Galvanic series, 396
 - Gas-based fire-protection systems, 261, 262
 - Geared traction elevators, 225, 226, 228
 - Gearless traction elevators, 225, 226, 228
 - GFRC, *see* Glass fiber-reinforced concrete
 - Glare, 179, 272, 344
 - Glare bombs, 273
 - Glass, 129–132
 - Glass doors, 197
 - Glass entrance doors, 150–152
 - Glass fiber-reinforced concrete (GFRC), 87–88
 - Glass masonry units, 96–97
 - Glass stops (interior doors), 191
 - Glass unit masonry, 387–389
 - Glaze and glazing, 131–134
 - dry, 143
 - for interior doors, 191
 - for skylights, 179, 180
 - for solar energy systems, 446, 447
 - of tiles, 211
 - for windows, 131–134
 - Glued floor systems, 417
 - Glued-laminated roofing, 68–70
 - Glue-laminated construction, 47
 - Gothic arches, 386
 - Grab bars, 480, 483
 - Grading, 327, 331, 347
 - Granite, 390
 - Graphic symbols, 517–518
 - Graphisoft Constructor, 493
 - Graphite iron, 395
 - Grass paving, 336
 - Gratings, metal, 401
 - Gravel, 4
 - Gravel stops, 124–126
 - Gravity flush tanks, 234, 521
 - Gravity retaining walls, 340
 - Gray irons, 395
 - Greenfield development, 434–435
 - Ground covers, 343, 350
 - Ground-mounted air structures, 316
 - Group number (plywood), 411

Grout and grouting:
 masonry, 375
 pressure, 18
 soil stabilization and, 18
 tile flooring, 213

Guest rooms, 306

Gutters, 174–175

Gypsum, 207

Gypsum board, 415

Gypsum board partitions, 183–185

Gypsum lath, 207

Gypsum sheathing, 157

H

Halogen incandescent lamps, 275

HAM, *see* Heat, air, and moisture

Handing (interior doors), 188

Handrails, 206, 337

Hardboard (doors), 193, 420

Head (door frame), 186

Headwalls, 286

Health, architects as guardians of, 428

Healthy buildings, 442–448
 clean energy for, 442–447
 priorities for sustainability, 447–448

Healthy community design, 441–442

Healthy ecosystems, 434–435

Healthy materials, 435–440
 embodied energy of materials, 436
 environmental impact of materials, 435–438
 life cycle of materials, 435–436, 440
 materials comparison chart, 437–438
 nontoxic, 439–440
 resource conservation, 439–440

Heat, air, and moisture (HAM):
 affecting shell of buildings, 27–28
 clay masonry, 91–92
 concrete masonry units, 89
 control of, 27–28
 in EIFS, 112
 exterior walls, 109
 field-assembled panels, 109
 glass fiber-reinforced concrete, 87–88
 metal cladding panels, 109, 111
 precast concrete, 84
 rainscreen panels, 98
 tilt-up concrete, 83–84

Heat-absorbing glass, 129

Heating, ventilating, and air conditioning (HVAC), 240–261
 all-air systems, 242–243
 all-water systems, 243–244
 central systems, 241–242
 commissioning, 241
 design considerations, 240
 design coordination, 241
 design intent, 240, 241
 direct-expansion system, 243
 distribution, 252–255
 ducts and casings, 255–257
 energy-efficient, 444–447
 and heat of lighting, 273
 multiple interior-zone systems, 244–247
 refrigeration, 248–252
 solar energy systems, 258–261
 system components, 242
 system fundamentals, 242
 system selection, 241
 system types, 241
 zoning, 241

Heating/cooling chilled water systems, 250

Heat of lighting, 273

Heat pumps, 245–246, 248, 249

Heat-strengthened glass, 129

Heat transfer principles, 248

Heat-treated glass, 129

Heat-welded seams, 218

Heavy duty doors, 196, 197

Heavy timber floor framings, 45

Heavy vehicular paving brick, 334

Herringbone matching (veneer), 423

HID (high-intensity discharge) lamps, 277

High-alloy irons, 395

High-intensity discharge (HID) lamps, 277

High-pressure sodium (HPS) lamps, 278

High schools, 314

High-strength low-alloy (HSLA) steels, 395

High-wind areas, 162

Hinges, 192, 300

Historical research, 501

Hoistways, 225, 228

Hollow-core doors, 188

Hollow metal doors, 150, 195–197

Hollow metal fire doors, 199

Hollow metal frames, 199

Homogeneous rubber tile, 218

Hook-and-pin mounting, 109

Hoses, fire suppression, 263–264

Hospital beds, 305

Hospitality furnishings, 305–307

Hot climates, 6, 7, 28

Hot fluid-applied roofing, 168

Hot water systems, solar, 258

HPS (high-pressure sodium) lamps, 278

HS (heat-strengthened) glass, 129

HSLA (high-strength low-alloy) steels, 395

Human factors, in lighting design, 272

Humid, overheated climates, 6, 7

HVAC, *see* Heating, ventilating, and air conditioning

Hydraulic elevators, 225, 226, 228–230

Hydraulic sprinkler systems, 262

I

IBC (International Building Code), 7

Ice dams, 156

ICF (insulating concrete forming), 97

ICS, *see* Integrated collector-storage

IESNA (Illuminating Engineering Society of North America), 272

IFC, *see* Industry Foundation Classes

IG (insulating glass), 130

Illuminance, 220, 273, 274

Illuminating Engineering Society of North America (IESNA), 272

Imitation slates, 163

Incandescent lamps, 275

Inclusive design, 452–489
 accessible design, 462–489
 universal design, 453–461

Indexes of refraction, 521

Indirect ambient illumination, 272

Induction lamps, 278

Industry Foundation Classes (IFC), 498–499

Inert gas fire protection systems, 262

In-plane forces, 8

Insect damage (wood), 405

Insulated metal panel wall assemblies, 108–111

Insulated roof membrane assembly (IRMA), 168

Insulating concrete, 157

Insulating concrete forming (ICF), 97

Insulating glass (IG), 130

Insulation, 26
 in basement walls, 53
 board, 75
 of crawlspaces, 54–55
 EIFS, 112
 of low slope roofing, 157
 sprayed, 75

Insurance coverage, 158

Integrated collector-storage (ICS), 258, 259

Integrated design, 431

Intensive care medical equipment, 286, 287

Interiors, 182–223
 doors, 186–199, 285–306
 finishes for, 207–223
 finish wood materials for, 403
 fire-retardant woodwork for, 407
 stairs, 200–206

Interior doors, 186–197
 built-up members, 191
 components of, 187
 construction of, 186–199, 285–306
 cores of, 188–189
 design considerations for, 188–189
 fire-rated openings, 198–199
 glass, 197
 glass stops for, 191
 glazing, 191
 handing of, 188

Interior doors, continued
 hardware for, 191–192
 hinges of, 192
 hollow metal, 195–197
 latches and locks for, 191
 muntins for, 191
 nomenclature for, 187
 panels for, 190
 parts of, 187
 rails for, 190
 sizes of, 190
 steel, 195–197
 stiles for, 190
 terminology for, 186
 types of, 193–197
 wooden, 193–194
 wood stops for, 187

Interior finishing, 207–223
 for ceilings, 220–223
 for floors, 211–215
 for walls, 207–211

Interior office layouts, 309
 Interior plywood, 414
 Interlocking flat lock seam tiles, 109
 Internal dormers, 126
 International Building Code (IBC), 7
 Intumescent painting, 210
 Inverted roof membrane assembly (IRMA), 168
 Investigation (technical research), 502
 IRMA (inverted/insulated roof membrane assembly), 168
 Iron, 395
 Irrigation systems, 342–343
 Islands (parking lots), 330
 Isolation hangers, 222
 Isolation joints (slab-on-grade), 15
 Iterative design, 429

J

Jack arches, 386
 Jamb, 186
 Joints and joining:
 concrete formwork, 364
 contraction, 15
 design of, 113
 in EIFS, 112
 exterior stairs, 336
 glass block, 388, 389
 isolation, 15
 masonry, 375, 377, 379–380, 382
 movement, 379–380
 primers for, 113
 retaining walls, 340

shape of joints, 113
 stone, 393
 wood, 404

Joint sealants, 113
 Junior high schools, 313

K

Kindergarten classrooms, 312, 313
 Kind FT (tempered) glass, 129
 Kind HS (heat-strengthened) glass, 129
 King beds, 305
 Kitchens:
 accessible design, 486–489
 commercial, 289–290
 equipment for, 289–294
 fire protection systems for, 262
 residential, 290–294
 Knitted carpet, 219

L

Labeled equipment, 186
 Lamina, 112
 Laminated glass, 130
 Laminated rubber tile, 218
 Laminated wood countertops, 301
 Lamp lumen degradation (LLD), 273, 274
 Lamps, 273–278
 Landings, for exterior stairs, 337
 Landscaping, 342–350
 irrigation, 342–343
 planting trees and shrubs, 343–350
 Latex paint, 210
 Latex Portland cement mortars, 212, 213
 Latex sealants, 113
 Laundry room equipment, 294–295
 Lavatories, 234, 471, 482, 485
 Lawns, trees planted in, 349
 Lead, 396
 Leaded stained glass, 131
 Leadership in Energy and Environmental Design (LEED), 448
 Lead-lined cores, 189
 Leaf screens, 239, 240
 Ledge rock pattern, 391
 LED (light-emitting diode) lamps, 278
 LEED, 448
 Library equipment, 280
 Library furnishings, 307
 Life cycle of materials, 435–436, 440
 Light, speed of, 521
 Light-emitting diode (LED) lamps, 278
 Light-gauge metal frames, 199

Lighting, 271–278
 area, 359
 borrowed, 126
 for classrooms, 314
 for conference rooms, 311
 design considerations, 272–273
 design details, 273–274
 design opportunities, 273
 energy-efficient, 443
 interfaces, 273
 lamps, 274–278
 luminaires, 278
 outlets, switches, and plates, 270
 site, 358–359

Light reflectance (acoustical panel ceilings), 220
 Light-traffic pavers, 334
 Light transmission (glass block), 387
 Light trespass, 273
 Lime, 207
 Lime plaster, 207
 Limestone, 390
 Limitations of settlement, 10
 Linear distance, 520
 Linear expansion, 521
 Linear metal ceilings, 222–223
 Linear speed, 520
 Linoleum flooring, 218
 Lintels:
 masonry, 380–381
 unit masonry, 385
 Listed equipment, 186
 LLD, *see* Lamp lumen degradation
 Loading dock equipment, 288
 Load plates (diamond-shaped), 15
 Loam, 4
 Lobbies, elevator, 225
 Loblolly residence, Philadelphia, Pennsylvania, 493–497
 Local HVAC systems, 241, 242
 Locks, 191
 Locksets, 188, 191
 Log structures, 323–325
 Long-span dome structures, 317
 Long-span roofing, 60
 Loose-laid ballasted assemblies, 167
 Love seats, 308
 Low physical effort principle (universal design), 461
 Low-pressure sodium (LPS) lamps, 278
 Low-slope roofing, 156–158, 162
 LPS (low-pressure sodium) lamps, 278
 LR (light reflectance), of acoustical panel ceilings, 220
 Lumber, 403–404
 Lumber forms (concrete), 365
 Lumen method (illuminance calculation), 274
 Luminaires, 278
 Lux, 220

M

- Machine rooms, 225
- Magnesium, 396
- Malleable iron, 395
- Maple Flooring Manufacturers Association (MFMA), 216
- Marble, 390–391
- Marine-grade plywood, 412
- Marsh systems, 356, 357
- Masonry, 374–393
 - anchorage and reinforcement, 375–376
 - bond patterns, 382
 - brick and tile, 383–385
 - cavity drainage, 378
 - clay masonry units, 383–385
 - glass unit masonry, 387–389
 - joints, 375, 377, 379–380, 382
 - lintels, 380–381
 - masonry arches, 386
 - metal wall plugs, 379
 - minimum radii of, 382
 - mortaring and grouting, 375
 - movement joints, 379–380
 - stone, 390–393
 - ties, 376–378
 - unit, 381–389
 - vents, 378
 - weepholes, 378
 - wood blocking, 379
- Masonry basement walls, 20–21
- Masonry retaining walls, 338
- Masonry site steps, 341
- MasterFormat™ (CSI/CSC), 509, 512–513
- Materials, 435–440. *See also specific materials, e.g.:* Metals
 - comparison chart, 437–438
 - embodied energy of materials, 436
 - environmental impact of materials, 435–438
 - healthy, 435–440
 - life cycle of materials, 435–436, 440
 - low-impact, 448
 - movements of, 379
 - nontoxic, 439–440
 - resource conservation, 439–440
 - weight of, 521–522
- Maximum considered earthquake (MCE), 8
- Maximum duty doors, 196, 197
- MCE (maximum considered earthquake), 8
- MDF (medium-density fiberboard), 420
- MDO (medium-density overlay), 193
- Mechanical draft-packaged cooling towers, 251
- Mechanical finishes (metals), 397
- Mechanically attached assemblies, 167
- Mechanically fastened membranes, 123
- Mechanical systems:
 - energy-efficient, 443–444
 - utilities, 351–357
- Medical equipment, 286–287
- Medium-density fiberboard (MDF), 420
- Medium-density overlay (MDO), 193
- Mercury vapor (MV) lamps, 274, 277
- Metals, 394–401
 - corrosion of, 396
 - ferrous, 395
 - finishes on, 397
 - melting temperatures of, 396
 - nonferrous, 395–396
 - properties of, 395
 - shaping and fabrication of, 396–397
 - structural metal framing, 398–401
 - weights of, for buildings, 396
- Metal building systems, 317–319
- Metal cladding panels, 108–111
- Metal doors, hollow, 150
- Metal floor decking, 49
- Metal-frame gypsum board partitions, 183, 185
- Metal halide (MH) lamps, 277–278
- Metal roofing, 170–171
- Metal roofing tiles, 165
- Metal stairs, 202
- Metal wall plugs, 379
- Metrics, for sustainable design, 448–451
- MFMA (Maple Flooring Manufacturers Association), 216
- MH lamps, *see* Metal halide lamps
- Microwave ovens, built-in, 293
- Middle schools, 313
- Mineral-fiber cement roofing, 164, 165
- Mineral-fiber-reinforced cementitious siding, 102
- Mobility, in sustainable community design, 441
- Modified epoxy emulsion mortars, 213
- Modified Proctor, 19
- Moisture. *See also* Heat, air, and moisture
 - and compaction, 19
 - density and, 19
 - movement in wood, 404–405
 - wood expansion due to, 403
- Moisture-density relationship, 19
- Moisture-resistant panel cores, 420
- Molded (cast) tiles, 221
- Moment-resisting framing, 36
- Monoculture, 434
- Monolithic terrazzo floors, 214
- Mortar and mortaring:
 - glass block, 387
 - masonry, 375
 - stone walls, 341
 - tile flooring, 213
- Mortise, 191
- Mortise lock (mortise latch), 191
- Mosaic tiles, ceramic, 211
- Motor starters, electrical, 266
- Mounted tiles, 211
- Mounting, hook-and-pin, 109
- Movable furnishings, 305–308
- Movement joints, masonry, 379–380
- Moving walks, 231, 232
- Mud slabs, 24
- Mullions, 126
- Multicolor coatings, 210
- Multiple interior-zone HVAC systems, 244–247
 - four-pipe fan coil units, 247
 - four-pipe single-zone air-handling units, 244
 - four-pipe with cold deck bypass, 246–247
 - packaged split HVAC systems with individual heat pumps, 245
 - two-pipe ground-coupled water loop heat pump with packaged split, 245–246
 - two-pipe water loop heat pump with packaged split, 245, 246
- Multiplying powers, 520
- Multizone air distribution, 256
- Multizone constant-volume HVAC systems, 255
- Muntins, 126, 190, 191
- Murphy beds, 305
- MV, *see* Mercury vapor lamps

N

- Nails, 410
- Nailers, 162
- Nailing schedules, 416–418
- National Earthquake Hazards Reduction Program (NEHRP), 7
- National Fire Protection Association (NFPA), 261
- Natural clay tiles, 211
- Natural cooling, 444
- Natural-draft-packaged cooling towers, 251
- Natural wetland systems, 354
- Neat plaster, 207
- Needlepunched carpet, 219
- NEHRP (National Earthquake Hazards Reduction Program), 7
- Net assignable area, 523
- Neurosciences Institute, La Jolla, California, 454–458
- NFPA (National Fire Protection Association), 261
- Nickel, 396
- Nodular tiles, 221
- Noise:
 - in HVAC systems, 255
 - in plumbing systems, 233
 - sound attenuation by trees, 344
- Nonbonded cores, 188
- Nonferrous metals, 395–396
- Nonportland-cement-based grout, 213
- Nontoxic materials, 439–440
- Nosings, for stairs, 200, 202
- Nylon fibers, in carpet flooring, 219

O

- Obscure glass, 129
- OCCS, *see* OmniClass Construction Classification System™
- Off-grid PV systems, 260

- Office furnishings, 309–312
 - Oil-based paint, 210
 - Oil-borne preservatives (wood), 405–406
 - OmniClass Construction Classification System™* (OCCS), 509–510
 - One-height stone pattern, 392
 - Openings:
 - exterior, 117–118
 - fire-rated, 198–199
 - framing for, 117–118
 - in roofing, 179–181
 - Open-jointed blocks/grids, 329
 - Open joint systems, 109
 - Optimum moisture content, 19
 - Organic coatings (metals), 397
 - Oriel windows, 126
 - Oriented-strand board (OSB), 99, 418
 - Ottomans, 308
 - Outlets, electric, 270
 - Out-of-plane forces, 8
 - Ovens, 292–293
 - Overconsolidated soils, 5
 - Overheated climates, 6, 7
 - Overlays, wood panels, 420–421
- P**
- Painting, 210
 - Panels:
 - acoustical panel ceilings, 221
 - curved glass block, 389
 - engineered wood panels, 97
 - for glass fiber-reinforced concrete, 87–88
 - for interior doors, 190
 - solid phenolic resin panels, 97
 - special-use, 221
 - Panelboards, electrical, 266
 - Panic bars/hardware, 186
 - Paper backing, 210
 - Parapets, 124–125, 143
 - Parking, accessibility of, 468–470
 - Parking garage guardrails, 68
 - Parking lots, 330–332
 - Parking spaces, 330–332, 470
 - Parquet matching (veneer), 423
 - Particleboard, 420
 - Partitions, 183–186
 - Passenger elevators, 226
 - Passenger loading zones, 332, 469
 - Passive solar heating, 444
 - Patterns, masonry, 382, 391–392
 - Patterned glass, 129
 - Pavements, porous, 328–330
 - Pavers:
 - around trees, 350
 - preparation of, 335
 - selection of, 334
 - sizes of, 334
 - tiles, 211
 - Paving:
 - for drainage control, 353–354
 - grass, 336
 - pedestrian, 332–334
 - for pedestrian areas, 332–334
 - porous, 328–330, 353–354
 - tree soil interconnection under, 349
 - unit, 334–336
 - Peal-and-stick membranes, 123
 - Pedestrians, parking lot design and, 330
 - Pedestrian paving, 332–334
 - Penetration firestopping, 186
 - PE rainscreen walls, *see* Pressure-equalized rainscreen walls
 - Perceptible information principle (universal design), 461
 - Performance-rated plywood, 412–414
 - Performance theaters, 281–285
 - Perimeter office layouts, 309–310
 - Perimeter radial HVAC system, 253
 - Perlite, 157, 207
 - Permaculture, 441, 442
 - Phenolic resin panels, 97
 - Phosphor bulb coatings, *see* Lamp lumen degradation
 - Photovoltaic (PV) glass, 130
 - Photovoltaic systems, 260
 - efficiency and size of collectors, 432
 - grid-connected, 259
 - module installation, 260
 - Piers, drilled, 13, 14
 - Pigments, for vinyl flooring, 218
 - Pilasters, 384, 385
 - Pile caps, 14
 - Pile types, 13
 - Pins, of hinges, 192
 - Pipes, metal, 400–401
 - Pittsburgh Children's Museum, Pennsylvania, 461
 - Pit-type dock leveler, 288
 - Plain-sliced veneer, 421
 - Plaster, 207
 - Plaster walls, 207–209
 - Plastic geocells, 329
 - Plasticizers (vinyl flooring), 218
 - Plastic-laminate countertops, 301
 - Plastic-laminate veneers, 193
 - Plastisol method, 210
 - Plates (metal wall panels), 109
 - Plates, electric, 270
 - Plate glass, 129
 - Platform (western) wood floor framings, 41–42
 - Plazas, tree plantings for, 349
 - Plumbing, 233–240
 - for accessible bathrooms, 485
 - backflow prevention, 237–238
 - bathrooms, 235
 - codes and standards, 233
 - design considerations, 233
 - domestic water distribution, 237–238
 - drinking fountains and water coolers, 236
 - fixtures, 233, 485
 - fixture units, 233
 - interfaces, 233
 - lavatories, 234
 - rain water drainage, 239–240
 - showers, 236
 - sinks, 234
 - water closets, urinals, and bidets, 233–234
 - Plywood, 411–418
 - Plywood siding, 102
 - Pocket wetlands, 357
 - POE (post-occupancy evaluation), 501
 - Point-to-point lighting, 274
 - Pollution, 432
 - Polyamide epoxies, 210
 - Polyester epoxies, 210
 - Polyester fibers, in carpet, 219
 - Polyisocyanurate foam, 157
 - Polypropylene fibers, in carpet, 219
 - Polystyrene foam, 157
 - Polysulfide, 113
 - Polyurethane, 113
 - Polyvinyl-chloride (PVC):
 - flooring, 218
 - roofing, 167
 - Pond/wetland systems, 356, 357
 - Pop-up spray assemblies, 342
 - Porcelain tiles, 211
 - Porous aggregate, 329
 - Porous asphalt, 329
 - Porous concrete, 329
 - Porous pavements, 328–330
 - Porous paving systems, 353–354
 - Porous turf, 329
 - Portable fire extinguishers, 264–265
 - Portland cement, 207
 - Portland-cement-based grout, 213
 - Portland cement mortars, 212
 - Post-occupancy evaluation (POE), 501
 - Post-tensioned concrete, 33
 - Powder coatings (metals), 397
 - Powers, multiplying and dividing, 520
 - Power-assisted doors, 186
 - Preaction sprinkler systems, 263
 - Precast concrete:
 - basement walls, 19
 - colors of, 84
 - decks, 48
 - finishes for, 84
 - foundations, 13
 - framing, 34–35
 - HAM and, 84

lintels, 380, 381
 walls, 19, 84
 Precompressed foam, 113
 Pre-engineered structures, 317–320
 Prefinished panel products, 420–421
 Prehung doors, 186
 Premium grade doors, 193
 Premolded contraction joint (sawed), 15
 Preparations areas (kitchens), 291
 Preschool design concept, 312
 Preservative treatments, 53, 405–407
 Pressed steel frames, 199
 Pressure-assisted flush tanks, 234
 Pressure-equalized (PE) rainscreen walls, 26, 82, 151
 Pressure grouting, 18
 Pressure plate glazing, 143
 Prestressed concrete:
 foundations, 13
 framing, 33
 Primary communications diagram, 431
 Primers, 113, 210, 211
 Private school areas, 312
 PRM (protected membrane roofing), 168
 Project descriptions (*UniFormat™*), 511
 Projection equipment, 285
 Projection screens, 285
 Project manuals:
 MasterFormat™, 512–513
 SectionFormat™, 513
 UniFormat™, 511
 Projectors, 285
 Protected membrane roofing (PRM), 168
 Protection board, 24
 Protective coatings, 15
 Protruding objects in circulation paths, 466
 PVC, *see* Polyvinyl-chloride
 PV (photovoltaic) glass, 130
 Pythagorean theorem, 520

Q

Quarry tiles, 211
 Quarter-sliced veneer, 421
 Queen beds, 305

R

Rabbit, 191
 Racks, fire suppression, 263–264
 Radians, 520
 Radiant barriers, 26
 Radon, 20
 Rails (interior doors), 190
 Rainscreen panels, 97–98, 107
 Rain water drainage, 239–240
 Rain water harvesting, 239

Ramps:
 accessible design, 471–472
 exterior, 336–337
 standards for, 336
 Random ashlar pattern, coursed and broken coursed, 392
 Random matching (veneer), 421, 422
 Ranges, 292, 293
 Range hoods, 293
 Reach ranges, 465
 Reactive waterproofing, 24
 Reading rooms (libraries), 307
 Recycling:
 of buildings, 447
 of linear metal ceilings, 223
 Reduced-pressure zone backflow preventers, 237
 Reentrant corners, 9
 Reflection:
 law of, 521
 total internal, 521
 Refraction:
 indexes of, 521
 law of, 521
 Refrigeration systems, 248–252
 cooling towers, 250–250
 evaporative condensers, 251–252
 heat transfer principles, 248
 refrigerant compressors and condensers, 252
 water chillers, 249–250
 Refrigerators:
 for residential kitchens, 293–294
 work areas for, 291
 Rehabilitation Act of 1973, 462
 Reinforced concrete, 370, 381
 Reinforcement:
 of masonry, 375–376
 of unit masonry columns/pilasters/beams/lintels, 385
 Renewable energy, 432
 Research, architectural, 500–505
 Residential bathrooms, 483–486
 Residential density, 441
 Residential electrical wiring, 267
 Residential elevators, 225, 226
 Residential kitchens, 290–294
 accessible design, 486–489
 equipment, 292–294
 layouts, 291–292
 work areas, 291
 Residential prehung doors, 150
 Residuum, 4
 Resilient flooring, 218
 Resin panels, 97
 Resource conservation, 439–440
 Restaurant and bar seating, 303–304
 Retaining walls, 338–341
 Reveal overlay cabinet construction, 299
 Reverse box matching (veneer), 423
 Reverse diamond matching (veneer), 423

Reverse trap flushing, 233
 Reversible locks, 191
 Review of documents (technical research), 502
 Revolving doors, 152–153
 Ribbon windows, 126
 Rift-sliced veneer, 421
 Risers, 200, 202, 336
 Roman arches, 386
 Roofs, 55–77. *See also* Roofing
 for cable-supported structures, 321–322
 and canopies, 74–75
 cold-formed steel framing, 62
 column reinforcement, 370
 framing, 55–70
 long-span, 60
 low slope, 156–158
 openings, 179–181
 skylights, 179–181
 space frames, 61
 split-ring wood trusses, 67–68
 steep slope, 156
 tensile structures, 60
 ventilation, 75–76
 Roof coverings, 159–171
 Roof decking, 71–72, 156, 157
 Roofing, 156–181
 batten seam, 170
 clay tiles, 161
 coverings, 159–171
 design considerations, 156
 detailing, 172–174
 flashings, 174–178
 glued-laminated, 68–70
 metal, 170–171
 for metal building systems, 318
 panels, 72–73
 plywood sheathing for, 417–418
 roof decking, 71–72
 sheathing for, 72–73, 415
 tile, 161–162
 tiles, 164, 165
 wood structural roof sheathing, 415
 Rooftop planting, 350
 Roof washers, 239, 240
 Root path trench, 349
 Root prune trench, 346
 Rose (door hardware), 191
 Rotary veneer, 421
 Round beds, 305
 Routes, accessible, 467–468
 Route and return (wall panels), 109
 Rubber flooring, 218
 Rubble, 390
 Running bond pattern, 382, 392
 Running matching (veneer), 421, 422
 Runoff control systems, 354–357
 Runoff reduction, 344

S

Safety:

- in handling preservative-treated wood, 406
- skylights, 179
- theater, 282

Sand (soils), 4, 10

Sand cushion terrazzo floors, 214

Sanded plywood panels, 411, 412

Sandstone, 391

Sash (window), 126

Scale, flows in, 432

Schall residence, Phoenix, Arizona, 458–458

School furnishings, 312–314

Scientific notation, 520

SCM, *see* Supplementary cementitious materials

Scratch coat, 207

Scuppers, 176, 177

Sealants, 113, 131

Sealers, 186, 211

Seams, for sheet vinyl, 218

Seasonal energy efficiency rating (SEER), 248

Seasonal rhythms, 434

Seating:

- conference rooms, 312
- libraries, 307
- offices, 309–311
- restaurants and bars, 303–304
- site, 341
- theaters, 281–285

Secondary unit substations, 266

Sectional doors, 154, 155

Sectional sofas, 308

SectionFormat[™], 513

Security:

- electrical systems for, 278
- glass and, 130
- skylights, 179

SEER (seasonal energy efficiency rating), 248

Segmental arches, 386

Seismic design, 7–10, 221, 222

Seismic forces, 8, 9, 119–120

Self-adhered membranes, 123, 156, 159

Self-closing openings (fire-related), 198

Self-flashing skylights, 179

Semicircular arches, 386

Services, 224–278

- conveying, 225–232
- electrical, 266–278
- fire protection, 261–265
- heating, ventilating, and air conditioning, 240–261
- plumbing, 233–240

Service elevators, 226

Settlement, 10

Sewers, 238

Shading:

- with skylights, 179
- from trees, 344

Shadowboxes, 143

Shakes, wood, 159–161, 404

Shallow foundations, 11–12

Shanks (of a handle), 191

Shaping metals, 396–397

Shear, in high-seismic load design, 10

Sheathing:

- for exterior walls, 120–122
- gypsum, 157
- for roofs, 72–73, 415, 417–418
- wood, 411–418

Sheet glass, 129

Sheet vinyl flooring, 218

Sheet waterproofing, 24

Shell (building), 25–181

- climate affecting, 26–27
- design considerations for, 26–28
- energy affecting, 26–27
- exterior climate affecting, 26–27
- exterior enclosures, 78–155
- interior climate affecting, 27–28
- roofing, 156–181
- superstructure, 29–77

Shelving, library, 307

Shingles, wood, 159–161

Shored excavations, 16–18, 41

Showers, 236, 480, 483, 485, 486

Shrinkage (wood), 403–405

Shrubs, planting, 343, 345

Side tables, 308

Sidewalk planting options, 348

Siding, 102–104, 411, 412

Sight lines, for theaters, 283–284

Signage, 332, 478

Silicone rubber grout, 213

Sills, 186, 393

Silt, 4

Simple and intuitive use principle (universal design), 459–461

Single-acting interior doors, 188

Single-zone air distribution, 256

Single-zone air-handling units, 244

Sinks, 234, 290, 291

Siphon jet flushing, 233

Sisal fibers, in carpet flooring, 219

Site lighting, 358–359

Site planning and orientation, 442–443

Site steps, masonry, 341

Site work, 326–359

- civil/mechanical utilities, 351–357
- earthwork, 327–328
- electrical utilities, 358–359
- exterior stairs and ramps, 336–337

grass paving, 336

landscaping, 342–350

parking lots, 330–332

pedestrian paving, 332–334

porous pavements, 328–330

retaining walls, 338–341

rooftop planting, 350

unit paving, 334–336

Size and space for approach and use principle (universal design), 461

Sizing, 211

Sketch face matching (veneer), 423

Skyglow, 273

Skylights, 179–181

Slabs, concrete formwork for, 367–368

Slab-on-grades, vapor retarders for, 15

Slag-fiber boards, applied fireproofing for, 186

Slate, 391

Slate roofing, 162–165

Sleep chairs, 305

Sleeper sofas, 305

Sliding storefront windows, 140

Slip matching (veneer), 421, 422

Slip sheets, 156

Slope, for exterior ramps, 337

Slope protection, 327

Smart building controls, 444

Smart Growth, 442

Smoke barriers, 198

Sofas, 308

Soffits, plywood sheathing for, 417–418

Soft paving materials, 220, 329

Soils:

- affecting settlement, 10
- classifications, 4
- clay, 4, 10
- cohesionless, 4
- cohesive, 4, 5
- colluvial, 4
- compaction and, 19
- definitions, 4
- healthy, 434
- overconsolidated, 5

Soils explorations, 4–9

- seismic design, 7–10
- studies and reports for, 5

Soils report, 5

Soil improvement, 345

Soil mixing, 18

Soil modifications, 348

Soil nailing, 18

Soil stabilization, 18

Soil strength (bearing capacity), 10

Soil volume, for trees, 348

Solar energy systems, 258–261, 434, 444

- Solar flows, 432
- Solar gain, 133
- Solid-core doors, 188
- Solid laminated wood countertops, 301
- Solid phenolic resin panels, 97
- Solid-surface countertops, 301
- Solid wood flooring, 215
- Sound absorption and isolation, 220
- Sound control:
 - with glass, 130
 - with trees, 344
- Sound-insulating cores, 189
- Sound transmission, by glass block, 387
- Sound Transmission Class (STC), 189
- Source subsystem (HVAC), 242
- Space frame domes, 320
- Space frames, 61
- Spandrel beams, 365
- Spandrel glass, 130, 143
- Span ratings (sheathing), 411
- Special construction, 315–325
 - air-supported structures, 316–317
 - cable-supported structures, 321–322
 - fabric structures, 322–323
 - log structures, 323–325
 - pre-engineered structures, 317–320
- Special foundations, 13–15
- Specialty siding, 412
- Special-use panels, 221
- Spectral color distribution, *see* Lamp lumen degradation
- Speed of light, 521
- SPFs (sprayed polyurethane foams), 124
- Sphere domes, 320
- Spindles (of a handle), 191
- Spiral stairs, 204
- Split HVAC systems, 242, 243, 245
- Split king beds, 305
- Split-ring wood trusses, 67–68
- Sprayed insulation, 75
- Sprayed polyurethane foams (SPFs), 124
- Sprinkler systems, 262–263
- Square edge, for acoustical panel ceilings, 220
- SSG, *see* Structural silicone glazing
- S-shaped tiles, 161
- Stabilization:
 - soil, 18
 - streambank, 328
- Stabilizers, for vinyl flooring, 218
- Stack bond pattern, 382
- Staff work areas (schools), 312
- Stages, theater, 281–285
- Staggered clip mounting, 109
- Stains (interior walls), 210
- Stainless steels, 395
- Stairs, 200–206
 - alternative types of, 204–206
 - circular, 204, 205
 - concrete, 201–202
 - construction of, 201–206
 - design considerations for, 200
 - exterior, 336–337
 - handrails for, 206
 - metal, 202
 - nosings of, 200, 202
 - risers of, 200, 202
 - spiral, 204
 - standards for exterior vs. interior stairs, 336
 - treads of, 200, 202
 - winding, 204, 205
 - wood, 203–204
- Stalls, parking, 330–332, 470
- Stand-alone PV systems, 260
- Standard duty doors, 196, 197
- Standard Proctor, 19
- Standing seam roofing, 243
- Standpipes (fire protection systems), 263
- Static analysis (base shear, equivalent lateral force), 8
- STC (Sound Transmission Class), 189
- Steel, 395, 396
 - in floor framing, 36–39
 - in structural metal framing, 398–401
- Steel Door Institute (SDI), 150, 195
- Steel doors, 195–197
- Steel-joint floor framing, 38
- Steel lintels, 380, 381
- Steep-slope roofing, 156, 159–165
 - built-up bituminous, 166
 - coated foam, 168
 - composite roofing tiles, 164
 - EPDM, 167
 - fluid-applied, 168
 - hot fluid-applied, 168
 - metal roofing tiles, 165
 - PRM, 168
 - PVC, 167
 - slate, 162–165
 - tile, 161–162
 - TPO, 168
 - vegetated, 169–170
 - wood shingles and shakes, 159–161
- Step footings, 364, 365
- Stick systems, 143
- Stiles, for interior doors, 190
- Stone, 106, 390–393
- Stone countertops, 301
- Stone panels, 104–106
- Stone retaining walls, 338
- Stone spandrels, 106
- Stone walls, 341
- Stools, restaurant, 304
- Stops (of a lock), 191
- Storefront windows, 139–141
- Storm drainage, 352–353
- Storm drains, 239
- Stormwater wetlands, 355–357
- Story drift, 8
- Straight base, 218
- Strainers, in water supply, 237
- Streambank stabilization, 328
- Street ramps, 337
- Strengthened glass, 129
- Stressed skin panels, 99
- Strikes, 191
- Structural foam core panels, 99
- Structural membrane (air-supported structures), 316
- Structural metal framing, 398–401
- Structural panels, 99–100
- Structural roof sheathing, 415
- Structural silicone glazing (SSG), 143, 180
- Structural steel framing, 36–37
- Structural wall sheathing, 415
- Stucco, 100–101
- Stucco Portland cement, 207
- Sturd-I-Floor, 412
- Subcasings, 186
- Subflooring, 416–417
- Substructure, 3–24
 - basement construction, 16–24
 - foundations, 10–15
 - soils and soils explorations, 4–9
- Subsurface drainage systems, 351
- Sunburst matching (veneer), 423
- Superstructure, 29–77
 - floors, 29–55
 - roofs, 55–77
- Supplementary cementitious materials (SCM), 371, 372
- Surfaces, concrete, 372–373
- Surface drainage systems, 352–357
- Suspension systems:
 - acoustical panel ceilings, 221
 - acoustical tile ceilings, 221
 - linear metal ceilings, 223
- Sustainability:
 - and energy, 28
 - matrix of, 429, 430
- Sustainable design, 427–451
 - ecological literacy, 431
 - expanded scope of services, 430–431
 - flows in nature, 432–434
 - healthy buildings, 442–448
 - healthy community design, 441–442
 - healthy ecosystems, 434–435
 - healthy materials, 435–440
 - metrics for, 448–451
 - principles of, 428
 - process for, 428–430
- Sustainable development, 428
- Sustainable forestry, 435

Swimming pool heating systems, solar, 259
 Swing matching (veneer), 423
 Switches, electric, 270
 Switchboards, electrical, 266
 Symbols, graphic, 517–518
 Systems thinking, 429

T

Tables:
 for conference rooms, 312
 dimensions of, 308
 for library reading rooms, 307
 offices, 309–311
 Tactile signs, 478
 Tamperers, 19
 Task lighting, 272
 Task method (illuminance calculation), 274
 Technical research, 501–505
 Tegular edging, 220
 Telephones, accessible, 479
 Tempered glass, 129
 Tempered (kind FT) glass, 129
 Tensile fabric structures, 322, 323
 Terminal reheat, single-duct, constant-volume systems, 253
 Terminal reheat air distribution, 257
 Terrazzo floor finishes, 214–215
 Textile wall coverings, 210
 Text telephones (TTYs), 479
 Theater equipment, 281–285
 Thermal construction, 443
 Thermal expansion, 521
 Thermal performance:
 of glass block, 387
 of windows, 127
 Thermal (transitional) sailing season, 6
 Thermal storage (direct gain systems), 446, 447
 Thermoplastic-polyolefin (TPO) roofing, 168
 Thermoplastic rubber, 218
 Thermoset rubber, 218
 Thin brick veneers (adhered veneers), 94
 Thinset installation (tile flooring), 212
 Three-coat plaster, 207
 Three-height stone pattern, 392
 Three-point locks, 191
 Through-wall flashing, 98, 124
 Ties:
 concrete formwork, 364, 368–369
 masonry, 376–378
 Tieback (ground) anchors, 18
 Tile, 383–385
 for acoustical tile ceilings, 221–222
 barrel, 161
 composition of, 211
 for roofing, 161–162

 S-shaped, 161
 types of, 211
 Tile countertops, 303
 Tile flooring, 211–213, 219
 Till, 4
 Tilt-up concrete, 83, 365
 Tilt-up concrete walls, 82–84
 Timber, shoring, 16
 Timber frame roof decking, 72
 Timber retaining walls, 339
 Tin, 396
 Tinted glass, 129
 Toilets, accessible, 479–483
 Toilet rooms, accessible, 480–482
 Tolerance for error principle (universal design), 461
 Tongue-and-groove clip mounting, 109
 Tongue-and-groove joints, 15
 Topcoats, applied fireproofing for, 186
 Torch-applied membranes, 123
 Total internal reflection, 521
 Touch-sanded plywood panels, 411
 TPO (thermoplastic-polyolefin) roofing, 168
 Traction elevators, 226, 228, 230
 Trade jurisdictions (*MasterFormat™*), 512
 Transitional (thermal) sailing season, 6
 Transportation fare collection equipment, 479
 Traps, in water systems, 238
 Tratings, 186
 Treads, stair, 200, 202, 336
 Treated wood basement walls, 22–23
 Treatment rooms, medical facilities, 287
 Trees, planting, 343–350
 Tree guards, 349
 Trenching, 16
 Trigonometry functions, 520
 Trusses, 67–68
 T-type retaining walls, 340
 TTYs (text telephones), 479
 Tubing, metal, 400–401
 Tudor arches, 386
 Tufted carpets, 219
 Turf, porous, 329
 TV armoires (guest rooms), 306
 Twin beds, 305
 Two-coat plaster, 207
 Two-height stone pattern, 392

U

UFAS (Uniform Federal Accessibility Standards), 462
 Uncoursed stone patterns, 391
 Underconsolidated soils, 5
 Undercutting, 186
 Underheated climates, 5–6
 Underlayment, 416–417

Underpinning, 11–12
 Underslab drainage, 351
 Unglazed tile, 211
 UniFormat™ (CSI/CSC), 509–511
 Uniform Federal Accessibility Standards (UFAS), 462
 Unisex toilet rooms, 480–481
 Unitized systems, 143
 Unit masonry, 381–389
 arches, 386
 bond patterns, 382
 brick and tile, 383–385
 clay, 383–385
 control joints, 379–380
 glass, 387–389
 Unit pavers, patterns for, 333–334
 Unit paving, 334–336
 Universal design, 453–461
 equitable use principle, 454–458
 flexibility in use principle, 458–459
 low physical effort principle, 461
 perceptible information principle, 461
 simple and intuitive use principle, 459–461
 size and space for approach and use principle, 461
 tolerance for error principle, 461
 Unsanded plywood panels, 411
 Unvented compact roof assemblies, 75
 Uplift, in high-seismic load design, 10
 Urban areas, tree planting in, 347
 Urethane epoxies, 210
 Urinals, 233–234, 482
 Utility costs, solar energy and, 432
 Utility lines, near trees, 346

V

Vacuum breaker backflow preventers, 237
 Van-accessible parking stalls, 332
 Vanities, accessible, 485
 Vapor barriers, 26
 door installation and, 151
 in windows, 127
 Vapor control, 157
 Vapor-nonpermeable weather barrier membranes, 124
 Vapor-permeable weather barrier membranes, 124
 Vapor retarders, 15, 26, 124
 Variable air volume (VAV) air distribution, 256
 Variable-volume HVAC systems, 253–254
 VAV (variable air volume) air distribution, 256
 VCT (vinyl composition tile), 218
 Vegetated roofing, 169–170
 Vehicular equipment, 288
 Veneers:
 stone, 391–392
 wood, 420–423
 Veneer core panels, 420

- Veneer countertops, 301
- Vents, masonry, 378
- Vented compact roof assemblies, 75
- Ventilation:
- air change rate, 433
 - of crawlspaces, 54–55
 - of roofs, 75–76
- Vent piping (water systems), 238
- Vermiculite, 207
- Vertical clearance, 466
- Vertical waterproofing, of basement walls, 24
- Vibration:
- in plumbing systems, 233
 - and steel joist floor framing, 38
- Viewing areas (theaters), 284–285
- Vinyl, 218
- Vinyl composition tile (VCT), 218
- Vinyl flooring, 218
- Vinyl tile flooring, 218
- Vinyl wall coverings, 210
- Visual fire alarm systems, 278
- Visual survey (technical research), 502
- Volume, calculation of, 523
- Volume-control telephones, 479
- Volume expansion, 521
- W**
- Wainscot, 419
- Waitstaff service stations, 304
- Walking surfaces (accessible design), 467–468
- Walls, 207–211
- backfilling against, 19
 - barrier, 26, 82, 127, 151
 - basement, 19–23
 - brick veneer seat, 341
 - for cable-supported structures, 321
 - concrete, 19
 - concrete formwork for, 366–367
 - coverings for, 210–211
 - curtain, 142–150
 - dampproofing, 24
 - exterior, *see* Exterior walls
 - finishes for, 207–211
 - footing formwork, 365
 - for log structures, 325
 - masonry, 20–21
 - with metal building systems, 319
 - painting, 210
 - plaster, 207–209
 - retaining, 338–341
 - for shallow foundations, 11–12
 - sheathing for, 415
 - thermal insulation, 53
 - for thermal storage, 447
 - thickness of, 20
 - tilt-up concrete, 365
 - treated wood, 22–23
 - vertical waterproofing, 24
 - of windows, 126
 - wood structural wall sheathing, 415
- Wall beds, 305
- Wall cladding, 109
- Wall coverings, 210–211
- Wall-hung cabinets, 297
- Wall-hung lavatories/sinks, 234
- Wall liners, 211
- Wall panels, 364
- adhesives for, 409
 - concrete, 364, 365
 - with metal building systems, 319
 - wood, 419–423
- Wall plugs, metal, 379
- Warranties, roofing, 156, 158
- Washers, 94, 295
- Water-based fire-suppression systems, 261
- Water-based paint, 210
- Water beds, 305
- Waterborne preservatives (wood), 406
- Water chillers, 249–250
- Water closets, 233–234, 471, 485
- Water coolers, 236
- Water distribution, domestic, 237–238
- Water-felted (wet-felted) tiles, 221
- Water flows, 432
- Water leakage, 127
- Water leakage testing (technical research), 502–504
- Water loop heat pump systems, 245–246
- Water meters, 237
- Waterproofing, 24
- Water quality criteria, 239
- Water-resistance, in EIFS, 112
- Water-saving strategies, 448
- Water spray fixed fire protection systems, 263
- Water treatment (rain water), 239
- Water vapor, 124, 157
- Weather barriers (water-resistant barrier), 26. *See also* Air barriers
- Weepholes, masonry, 378
- Weight of materials, 521–522
- Western (platform) wood floor framings, 41–42
- Wet-chemical fire-extinguishing systems, 262
- Wet-felted (water-felted) tiles, 362
- Wetlands:
- natural, 354
 - stormwater, 355–357
- Wet-pipe sprinkler systems, 263
- Wet seals, 109
- Wheelchair clearances/turning space, 464
- Wheelchair lifts, 474–476
- Whirlpool bathtubs, 235
- White iron, 395
- “Wiggle” (“jiggle”) glazed systems, 132, 143
- Wind forces:
- on exterior walls, 119–120
 - on low slope roofing, 158
- Wind incidence angle, 433
- Winding stairs, 204, 205
- Windows, 126–138
- air barriers in, 127
 - air filtration with, 127
 - for airflow, 433
 - assemblies, 127
 - condensation performance of, 127
 - curtain wall for, 142–150
 - detailing for, 127
 - exterior, 126–138
 - frame types, 134–135
 - glass products and, 129–131
 - glazing, 131–134
 - installation of, 135–138
 - movement of, 127
 - operation types of, 128
 - performance of, 127
 - ribbon, 126
 - of storefront, 139–141
 - structural performance of, 127
 - thermal performance of, 127
 - types of, 128
 - vapor barriers in, 127
 - water leakage of, 127
- Window walls, 126
- Wind protection, trees for, 344
- Winter garden atriums, 444
- Winter season, 6
- Wire glass, 129
- Wood, 402–423
- architectural woodwork, 419–423
 - fastenings for, 408–410
 - fiberboard, 157, 415
 - as finish material, 403
 - fire-retardant treatment, 407–408
 - gypsum board, 415
 - joining, 404
 - log structures, 323–325
 - lumber grading, 404
 - lumber production, 403–404
 - moisture movement in, 404–405
 - oriented-strand board, 418
 - plywood, 411–418
 - preservative treatments for, 405–407
 - sheathing, 411–418
 - as structural material, 403
 - structural roof sheathing, 415
 - structural wall sheathing, 415
 - types of construction with, 403
- Wood blocking (masonry), 379

- Wood countertops, laminated, 301
 - Wood decking, 49–53
 - Wooden interior doors, 193–194
 - Wood fiberboard, 157, 415
 - Wood fiber siding, 102
 - Wood floor framing, 40–44
 - cantilevered beam systems in, 44, 45
 - connection design for, 47
 - fire safety with, 47
 - glue-laminated construction for, 47
 - heavy timber, 45
 - platform, 41–42
 - standard depths for, 47
 - western, 41–42
 - Wood flooring, 215–217
 - Wood-frame gypsum board partitions, 183–184
 - Wood framing, 92, 403
 - Wood nailers, 162
 - Wood paneling, 97–98, 419–423
 - Wood plank flooring, 215
 - Wood roof framing, 63–67
 - Wood shingles, 159–161
 - Wood stairs, 203–204
 - Wood stops, 187
 - Wood strip flooring, 215
 - Wood trusses, split-ring, 67–68
 - Wood veneers, 420–423
 - countertops, 301
 - wall coverings, 211
 - Woodwork Institute of California, 193
 - Wool fibers, in carpet flooring, 219
 - Worktables (commercial kitchens), 290
 - Work triangles (kitchens), 292
 - Woven carpets, 219
 - Wrought iron or steel, 395, 396
 - WUFI, 123
- Y**
- Youth beds, 305
- Z**
- Zinc, 396
 - Zoning (HVAC), 241, 244–247

