

Index

- Alignment:
 horizontal, 267
 vertical, 283
- Andropogon Associates, 144, 308
- Angle:
 deflection, 269
 included, 269
- Antecedent precipitation factor, 188
- Area drain, 221, 222
- Arnold Arboretum, 138–141
- Artificial wetland, 166
- Atterberg limits, 94–95
- Average end area method, 105–107
- Base, 103
- Basin:
 catch, 221
 detention, 156, 159, 160–161, 222
 infiltration, 159, 161–162, 223
 retention, 155–1156, 157–158, 222
 sediment, 222
 water quality, 163
- Bayer, Herbert, 299
- Behnish, Günther, 123
- Bench, 68
- Berm, 60
- Bioengineering, soil, 173–174
- Bioretention, 165
- Borrow, 104
- Borrow pit method, 108–112
- Brown & Caldwell Engineering, 321
- Brushlayering, 173, 174
- Caissons, 88
- Catch basin, 221
- Cedar River Watershed Interpretive Center, 141–144
- Channel flow:
 Manning's equation for, 205
 time, 181, 182
- Circular curve(s), 268–271
 elements of, 268–269
 formulas, 269
- Compaction, 98, 100, 104
- Concentration, time of, 181, 204–207
- Constraints:
 environmental, 45–48
 functional, 48–55
- Constructed wetlands, 166
- Continuity equation, 228
- Contour(s), 1–3
 area method, 107–108
 closed, 1, 6, 7
 degree of accuracy, 3
 interval, 3
 line, 1, 6
 signatures, 3–6
- Corson, Dan, 141
- Critical velocity, 235–237
- Crown:
 height, 34
 parabolic section, 34
 reverse, 34
 road, 34
 tangential section, 34
- Culvert, 220, 221
- Curb(s), 34, 35
 batter-faced, 35
 beveled, 35
 and gutter, 35
 ramp, 64
 rounded, 35
- Curvature, point of, 268
- Curve(s):
 broken-back, 268
 center of, 269
 chord of, 269
 circular, 268–271
 compound, 268
 degree of, 271–272
 horizontal, 267
 length of, 269
 peak, 283, 284
 radius of, 269
 reverse, 268
 sag, 283, 284
 simple, 268
 spiral transitional, 268
 vertical, 283
- Cut, 27, 104
- Cut and fill volumes:
 adjusting, 112–114
 balancing, 114–118
 by computer, 114
 computation of, 105–112
- Cut-off drain, 246, 247
- Datum, 1
- de Carlo, Giancarlo, 133

- Deflection angle, 269, 270
- Degree of curve:
 - arc definition, 271
 - chord definition, 271
- Departure, 262
- Depression, 6
- Design storm, 180
- Detention basin, 156, 159, 160–161
 - dual purpose, 159
- Digital elevation model, 23
- Digital terrain model, 23, 25
- Dimension line, 258
- Dimension(s):
 - field, 256
 - fixed, 256
 - flexible, 256
 - floating, 256
 - semifixed, 256
- Dimensional notation, 257
- Dimensioning and materials plan, 255
- Dimensioning systems:
 - angles, bearings and arcs, 263
 - baseline, 259, 261
 - coordinates, 259–260, 262
 - perpendicular offsets, 258–259, 260
- Dimensioning:
 - accuracy and tolerances, 256–257
 - associative, 264
 - and computer-aided design, 263–264
 - graphic convention and organization, 258
- Distance:
 - runoff, 280
 - tangent, 269
- Diversion, 40, 172
- Dragonfly Irrigation, 321
- Drain:
 - area, 221, 222
 - cut-off, 246
 - french, 245
 - inlet, 221
 - trench, 221, 223
- Drainage area, 178
- Drainage system:
 - closed, 223
 - combination, 223
 - design and layout, 224–226
 - open, 223
- Drainage, subsurface, 245–246
- Dry basin, 156
- Dry pond, 160
- Earthworks Park, 299–301
- Elevation, invert, 244
- Erosion and sediment control:
 - plan, 171
 - principles, 169–171
- Erosion and sedimentation, processes, 169
- Erosion control measures, 171–174
 - maintenance, 174
- Extension line, 25
- Fiber rolls, 173, 174
- Field dimension, 256
- Fill, 27, 104
- Filter strip, 165
- Finished floor elevation, 103
- Finished grade, 103
- Fixed dimension, 256
- Flexible dimension, 256
- Floating dimension, 256
- Flow:
 - open channel, 205
 - shallow concentrated, 205
 - sheet, 204
- Footings, 88
- Foundation(s), 88
 - continuous wall, 50
 - pole, 50
 - slab, 50
- French drain, 245
- Gasworks Park, 121–122
- Geotextiles, 96–97
- Global positioning systems, 264–265
- Grade, 17
- Grade change devices, 61–69
- Grade, finished, 103
- Gradient, 17
- Grading:
 - athletic facilities, 53
 - construction sequence, 97–98
 - critical constraints, 55
 - positive drainage, 55
 - by proportion, 38
 - of roads, 32
 - standards, 54
 - terrace, 26–32
- Grading design:
 - aesthetics, 57
 - architectonic, 57
 - geomorphic, 57
 - naturalistic, 57
 - perception, 57–59
 - spatial considerations, 59–61
- Grading plan:
 - construction, 79
 - graphics, 77, 79
 - symbols and abbreviations, 80
- Grading process:
 - application, 71–77
 - design development, 70
 - design implementation, 70–71
 - inventory and analysis, 69–70
- Graphical Peak Discharge Method, 209, 211
- Green Associates, 138
- Grzimek, Günther, 123
- Gutter, paved, 35
- Haag, Richard, 121
- Horizontal alignment:
 - construction drawing graphics, 276
 - procedures, 276–279
 - standards, 277
- Horizontal curves, 267
- Horizontal sight distance, 276
- Hydraulic radius, 205, 206
- Hydrograph, 189
- Hydrologic:
 - changes, 151–152
 - condition, 209
 - cycle, 149–150
 - soil group, 207, 209, 210
- Included angle, 269, 270
- Infiltration:
 - basin, 162
 - facilities, 159, 161–163
 - trench, 162, 164
- Interpolation, 11
 - between contour lines, 15–16
 - between spot elevations, 12–15
 - graphic, 13–14
- Intersection, point of, 269
- Invert elevation, 244
- John Robertson Cox/Kling Partnership, 301
- Jones + Jones, 141, 321
- Jordan, Lorna, 321
- Kluska, Peter, 129
- Latitude, 262
- Layout plan, 255
- Leventritt Garden, 138–141
- Lift, 98
- Live fascines, 173
- Live staking, 173
- Loantaka Brook Preserve, 144–146
- Manhole, 221
- Mellon Biological Services, 313
- Merrill Lynch Corporate Campus, 301–308
- Modified Rational method, 188–192
- Morris Arboretum, 308–312

- Natural Resources Conservation Service:
 Graphical Peak Discharge Method, 200, 209, 211
 procedures, 204
 rainfall patterns, 200, 201
 Tabular Hydrograph Method, 200, 211–212
 TR 55, 199
- Nomograph, for circular pipes flowing full, 243
- Olympic Park, 123–129
 Otto, Frei, 123
 Overland flow time, 181
- Pavement, porous, 163
 Peak curve, 283, 284
 Pennswood Village, 313–318
 Permissible velocities, 228
 Pickering, Corts & Summerson, 313
 Piles, 88
 Pipe systems, designing and sizing, 237–245
- Point of:
 beginning, 257
 curvature, 268
 intersection, 269
 tangency, 269
- Porous pavement, 163, 165
 Precipitation, antecedent, 188
 Princeton Hydro, 313
- Profile:
 road, 39
 storm drainage, 244
- Radius, hydraulic, 205, 206
 Rainfall intensity, 180
 Rainfall intensity curve(s):
 Atlanta, 185
 Austin, 185
 Boston, 185
 Madison, 185
 New Orleans, 186
 San Francisco, 186
 Seattle, 186
 Topeka, 186
 Trenton, 180
- Ramp(s), 64–65
 grading at, 65
 stairs, 65
- Rational method, 177–188
 Reed Hilderbrand, 138
 Retaining wall(s), 66–67
 grading at, 67, 68
 section, 66
- Retardance factors, for grassed swales, 229
- Retention basin, 155–156, 157–158
 Retention pond, 155
 Ridge, 4, 6
 Road alignment procedures, 294–297
 Roughness coefficients:
 for pipes and channels, 206
 for sheet flow, 205
- Runoff coefficient(s), 179
 recommended, 179
- Runoff curve number, 207
 for other agricultural lands, 209
 for urban areas, 208
- Runoff:
 distance, 280
 storm, 149
 subsurface, 149
 surface, 149
 volume, 192–193
- Saddle, 36
 Sag curve, 283, 284
 Seattle Public Utilities, 318
 Section, 6
 Sediment:
 control measures, 175
 maintenance, 175
- Semifixed dimension, 256
 Shallow concentrated flow, 205
 Shannon & Wilson, 321
 Sheet flow, 204
 Sight distance, horizontal, 276
 Slope(s), 16, 67–68
 analysis, 21–23
 calculating, 16–18
 concave, 3, 58, 59
 convex, 6, 58, 59
 direction of, 6, 7
 expressed as degrees, 19
 expressed as ratios, 19
 formula, 17
 steepest, 7
 for surface drainage, 23–24, 26
 uniform, 6, 7
- Soil bioengineering, 173
 Soil characteristics:
 phases, 90
 physical properties, 90–92
- Soil classification systems, 92–93
 Soil classification:
 Unified System, 93
 USDA, 92–93
- Soil erosion factors, 167, 168
 Soil survey, 89
 Soil volume–weight relationships, 91
- Soil(s):
 bearing capacity, 95
 bulk density, 91
 erodibility, 48, 168
 frost penetration, 96
 geotechnical investigation, 89–90
 grain size analysis, 93
 land use feasibility, 89–90
 liquid limit, 94
 organic and nutrient content, 48
 placing and compacting, 98–100
 plastic limit, 94
 plasticity index, 95
 poorly-graded, 93
 shear strength, 95
 shrinkage and swell, 96
 shrinkage limit, 94
 structural, 96
 unit weight, 91
 well-graded, 93
- Specifications, earthwork, 100–101
 Spot elevation, 14, 77
 Stair(s), 61, 63–64
 grading at, 63
 section, 63
- Staking plan, 255
 Stationing, 263, 272–276
 Storm frequency, 180
 Storm runoff, 149
 Storm water management:
 low impact development, 155
 philosophy, 152–153
 principles and techniques, 155–166
 reducing imperviousness, 154–155
 strategies, 153–155
 systems, 219–224
 water quality, 153–154
 watershed-based, 153
- Street Edge Alternatives, 318–321
 Streets:
 diagonal to contours, 52, 53
 parallel to contours, 51
 perpendicular to contours, 52
- Structural soil, 96
 Sub-Base, 103
 Subgrade, 103
 compacted, 103
 undisturbed, 103
- Subsurface drainage, 245–250
 area, 248
 depth and spacing, 247–248
 drainage coefficient, 247
 piping patterns, 246
 system design, 246–248
 runoff, 149
- Summit, 4, 6
 Superelevation, 279–280
 Surcharge, 88
 Surface runoff, 149
 Swale(s), 34, 35, 36, 219
 designing and sizing, 226–235
 to divert runoff, 40

- Swale(s) (*continued*)
parabolic, 226, 227
vegetated, 165
vegetated parabolic, 35
Swale design:
by charts, 231–235
by hydraulics, 228–231
- Tabular Hydrograph Method, 211–212
Tangency, point of, 269
Tangent, 267
Tangent distance, 269
Terrace(s), 68–69
in cut, 26–27, 31–32
on fill, 27–30
sections, 69
Thompson, Mary, 138
Time of concentration, 181, 204
Topographic data, 11, 12
Topographic map, 6
- Topography, visualizing from contour lines, 39–40
Topsoil, 104
Travel time, 204
Trench drain, 221, 223
- Underdrainage, 246
Universal design, 65–66
University of Urbino, 133–138
URS Engineers, 299
- Valley, 4, 6
Van Note Harvey, 301
Velocity:
critical, 235–237
permissible, 228
subcritical, 235
supercritical, 235
Vertical alignment, 283
Vertical curve(s), 283
- calculating high and low points, 286–289
construction drawing graphics, 292–293
elements of, 284
equal tangent, 284–286
sight distances, 293–294
unequal tangent, 284, 289–292
- Volume:
for detention storage, 212, 214–215
storage for detention and retention ponds, 193, 195–196
- Water budget, 166
Watershed, 178
Waterway, 172
Waterworks Gardens, 321–323
Wells Appel, 301, 313
Westpark, 129–133
Wet pond, 155, 157
Wetlands, constructed, 166