

# INDEX

- Adhesives, 99, 102
- Adobe construction, 506–510
- adobe brick, 508
  - building codes, 508, 509
  - “greenness” of earth, 529
  - modern adobe, 508–510
- Air barriers, 418–420
- Air conditioning, *see* Heating and cooling
- Air infiltration, 418–420
- Airtight drywall approach (ADA), 419
- Air-to-air heat exchangers, 420
- American Institute of Architects (AIA), 9, 49, 61
- American Institute of Building Design (AIBD), 50, 61
- American Institute of Certified Planners (AICP), 52
- American Planning Association (APA), 52
- American Society of Landscape Architects (ASLA), 51
- Americans with Disabilities Act (ADA), 19
- Apprenticeship, construction, 43
- Architects:
- involvement in residential design, 50
  - training of, 49
- Asphalt paving, 486–488
- Attic, ventilation of, 414–416
- Autoclaved aerated concrete (AAC), 138, 139
- Backfilling, 179–182, 210
- Balloon frame, 214, 215
- Basement:
- concrete and masonry, 189, 190
  - drainage and waterproofing, 206, 207
  - excavation and formwork, 195
  - insulation, 208, 209
  - permanent wood, 204, 205
- Batter boards, 169, 170
- Bearing wall, 229–231
- Benchmark, 171
- Bidding, competitive, 36, 37
- Brick, *see* Masonry, brick
- Builders:
- associations of, 43
  - definition of, 7, 31
  - licensing of, 36
  - publications for, 44
  - size of companies, 32–35
  - speculative, 36
  - training of, 42, 43
  - types of, 32
- Building codes:
- definition of, 9
  - for multi-unit buildings, 18
  - history of, 17
  - model codes, 17, 18
  - provisions of, 18
  - purposes of, 17
- Building culture, 7–9
- Building designers:
- involvement in residential design, 50, 51
  - training of, 50
- Building green with, *see* Green building
- Building permit, 23
- Cabinets, 467–474
- hardware, 472
  - installation, 472, 473
  - planning, 472
  - quality of, 467–469
  - types, 469–471
- Canadian Homebuilders Association (CHBA), 43
- Carpet, 456, 457
- Ceiling, finish, 446–453
- Cement, 147, 148
- Central vacuum system, 357
- Chimney, 434
- Chinked log construction, 517, 518
- Coefficient of performance (COP), 364
- Compacted fill, 172, 192
- Concrete, 146–163
- admixtures for, 149, 150
  - aggregates, 148, 149
  - building green with, 161, 162
  - composition of, 147–150
  - curing, 152–154
  - finish floor, 456, 457
  - formwork for, 154
  - handling and placing, 152
  - history of, 146, 147
  - lightweight, 149
  - making and placing, 150–154
  - MasterFormat* numbers, 163
  - proportioning, 150–152
  - reinforcing of, 154–161
  - slump test, 151, 152
  - strength of, 150–153
  - water/cement ratio, 150, 151
- Concrete block, *see* Masonry, concrete
- Concrete loadbearing walls, *see* Insulating concrete forms
- Concrete masonry, *see* Masonry, concrete
- Concrete slab, exterior, *see* Flatwork
- Construction:
- context for, 4–26
  - contracts for, 37
  - cost of, 18, 19
  - energy efficiency in, 21
  - financing of, 20, 21, 40
  - permit, 23
  - standardization of, 30, 31
  - typical process, 22–26
- Construction costs, 19, 20
- Construction documents, 57, 61–64
- Construction drawings, 57
- Construction industry:
- history of, 30–43
  - legal context, 36–38
  - licensing of, 36
  - publications for, 44
  - specialization within, 30, 32, 34
  - training for, 42, 43,
- Construction observation, 58, 64, 65
- Construction process:
- efficiency of, 30, 31
  - typical sequence, 23–25
- Construction Specifications Canada, (CSC), 43
- Construction Specifications Institute, (CSI), 43

## 624 / Index

- Contractor:
  - definition of, 7, 31
  - general, 35
  - responsibilities of, 37, 38
  - types of, 32
- Contracts:
  - construction, 37
  - negotiations for, 57
- Controlled low-strength material (CLSM), 180, 192
- Cooling, *see* Heating and cooling
- Council of American Building Officials (CABO), 18
- Countertops, 473
- Crawl space, 189
  - insulation of, 404
  - ventilation of, 417
- Custom design:
  - advantages of, 55
  - architectural services for, 57, 58
  - process of, 55
  - resources for, 60
- Decks, 493, 494
  - decking boards, 494
  - railing, 494, 495
  - structure for, 493, 494
- Design:
  - associations, 61
  - by builders, 40–42, 59
  - custom, 55–57
  - guidelines for, 48
  - history of, 48
  - sources of, 59, 60
  - technical resources for, 61
- Design/build, 59
- Design consultants:
  - engineers, 51
  - interior designers, 52
  - land planners, 51, 52
  - landscape architects, 51
- Design development, 57
- Designers, role of, 7, 8
- Developer:
  - definition of, 7, 38
  - developer/builder, 38–40
- Development, financing of, 40
- Dew point, 413
- Doors, exterior, 312–317
  - building green with, 317
  - construction of, 315, 316
  - installing, 316
  - MasterFormat* numbers, 318
  - types, 312–315
- Doors, interior, 464–467
  - installation, 466, 467
  - types, 467–469
- Downspout, *see* Gutters and downspouts
- Drafting services, 58
- Dry well, 178, 179
- Drywall, 450–452
- Ductwork:
  - return, 364
  - supply, 364–369
- Earthen construction, 506–513
  - adobe, 506–510
  - “greenness” of earth, 529
  - rammed earth, 511–513
- EIFS, 334–336, 538
- Electric baseboard heaters, 374, 375
- Electrical plan, 390, 391
- Electrical power:
  - permanent, 174
  - temporary, 172, 173
- Electrical wiring, 384–396
  - basics, 384–389
  - building green with, 397
  - circuits, 387, 391
  - codes, 395
  - finish, 394, 395
  - low-voltage, 395, 396
  - MasterFormat* numbers, 397
  - materials, 389
  - rough-in, 392–394
  - system design, 390–392
  - typical system, 384–388
- Electricity, 384, 385
- Embodied energy, 21
- Energy efficiency, 21
- Engineer, structural, 51
- Environmental responsibility, 20–23
  - See also* Green building
- Erosion control, 178
- Exterior insulation and finish system (EIFS), 334–336, 538
- Fencing, 495–497
- Finish work, exterior, 24, 322
  - installing doors, 316, 317
  - installing windows, 308–311
  - paints and coatings, 338–340
  - siding, 326–337
  - trim, 325, 326
- Finish work, interior, 464–482
  - building green with paints, 482
  - cabinets, 467–474
  - finish carpentry, 474–480
  - finishing touches, 481, 482
  - interior doors, 464–467
  - MasterFormat* numbers, 482
  - paints and coatings, 481, 482
  - trim, 474–477
- Fire sprinklers, 356
- Firebox, 430
- Fireplaces, 424–442
  - building codes, 440–442
  - factory-built, 436–438
  - how green are, 442
  - masonry, 426–436
  - MasterFormat* numbers, 400
  - planning for, 426
  - selection of, 425
- Fireplaces, factory-built, 436–439
  - gas, 437
  - installation, 438
  - wood-burning, 436, 437
- Fireplaces, masonry, 426–432
  - construction, 428–436
  - design, 426–428
  - Rumford-style, 428, 432
- Flashing:
  - roof, 271
  - wall, 326, 331, 332
- Flatwork, 486, 487
- Floor framing, 221–226, 234, 235
- Flooring, 453–459
  - carpet, 456, 457
  - concrete, 456, 457
  - finishing, 454
  - function of, 453
  - installation, 453, 454
  - MasterFormat* numbers, 460
  - resilient, 456, 457
  - thickness of, 454
  - tile, 456–459
  - wood, 454–456
- Flue:
  - factory-built, 437–439
  - masonry, 433, 434
- Fly ash, 149, 162
- Footings, 192–195
- Forced-air heating/cooling, 364–369
  - components, 364–366
  - planning 366, 367
  - rough-in 368, 369
- Formwork, concrete:
  - foundation, 154, 195–198
  - insulating, 198, 540–546
- Foundations, 23, 186–210
  - backfilling against, 210
  - building code for, 189–191, 210
  - concrete, 195–198
  - concrete masonry, 198–200
  - design of, 189–191, 210
  - drainage of, 206, 207
  - footings for, 192–195
  - insulation for, 208–210
  - loads on, 186
  - MasterFormat* numbers, 210
  - permanent wood, 204, 205
  - precast concrete, 206
  - reinforcing for, 195, 196
  - settlement, 186, 187
  - shallow frost-protected, 210
  - slab-on-grade, 200–204
  - soil support of, 187–189
  - waterproofing, 206, 207
- Framed panels, 581–586

- closed panels, 581
- degree of finish, 582–584
- design limitations of, 585, 586
- history of, 582
- open panels, 581–586
- Framing, 221–262
  - See also Wood light frame
  - Framing, floor, 221–226, 234, 235
    - attaching to foundation, 218–221
    - I-joists for, 224, 225
    - MasterFormat numbers, 238
    - subflooring, 223, 235
    - upper floor, 234, 235
  - Framing, roof, 245–262
    - hips, 245, 248
    - history, 242
    - laying out rafters, 245–248
    - MasterFormat numbers, 267
    - nomenclature, 243, 248
    - overframing, 245, 249
    - overhangs, 257–262
    - sheathing, 257, 258
    - structure, 244, 245
    - trusses, 252–256
    - valleys, 245, 248
  - Framing, stair, 236–238
  - Framing, wall, 226–233
    - increased insulation for, 233, 410, 411
    - MasterFormat numbers, 238
    - rough openings, 229–231
    - shear walls, 232, 233
    - sheathing and bracing, 229–233
- Gas:
  - supply lines, 177
  - pipng for, 355, 356
- Glass block, 138
- Glulam beams, 84–85
- Grading:
  - finish, 494, 495
  - rough, 181
- Green building, 20–23
  - concrete, 161, 162
  - earth, logs, and bales, 529
  - electrical systems, 396
  - exterior walls, 342
  - finish sitework, 500
  - fireplaces and stoves, 442
  - gypsum products, 360
  - heating and cooling, 378, 379
  - heavy timber, 562
  - light gauge steel, 576
  - masonry, 141
  - paints and coatings, 482
  - plumbing systems, 357
  - roofing, 296
  - thermal insulation, 420, 421
  - windows and doors, 317
  - wood, 102–104
  - wood framing, 266
- Gutters and downspouts, 293–295
- Gypsum wall board (GWB), 446–453
  - building green with gypsum, 360
  - drywall system, 450–452
  - installation, 448–450
  - types and systems, 446, 447
  - veneer plaster system, 452, 453
- Hardwood, 70–73
- Heat pump, 363–365
- Heat stoves, 377, 439
- Heating and cooling, 362–380
  - air conditioning, 363–365
  - choosing a system, 363
  - codes, 378
  - finishing a system, 378
  - forced-air, 364–369
  - green strategies for, 378, 379
  - hydronic, 374, 375
  - local source heaters, 375–378
  - MasterFormat numbers, 380
  - radiant panel, 370–373
- Housing:
  - affordable, 13
  - buyer preferences 13, 14
  - history of, 4–6
  - multi-unit, 16, 17
  - production of, 11, 12
  - single-family detached, 13–15
  - statistics, 11, 12
- Ice dams, 416, 417
- ICF, see Insulating concrete forms
- I-joists, 87–89
- Infiltration, see Air infiltration
- Insulating concrete forms, 540–546
  - building codes, 546
  - construction process, 542–546
  - finishing interior and exterior, 546
  - materials, 540–542
  - openings in, 542, 543
  - reinforcing, 540, 542
- Insulation, see Thermal insulation
- Interior designers, 52
- International Residential Code (IRC), 18
- Irrigation, 498
- Kit houses, 580
- Laminated veneer lumber (LVL), 86, 87
- Land planners, 51, 52
- Landscape architects, 51
- Lawn, 499
- Light gauge steel frame, 566–577
  - advantages and disadvantages, 574–576
  - building codes, 576
  - building green with, 576
  - concept of, 566
  - details of, 568–574
  - framing procedures, 566–574
  - hybrid uses of, 574
  - MasterFormat numbers, 577
  - openings in, 573
  - stiffening of, 573, 574
  - structural members, 566
- Lighting, outdoor, 497
- Lighting design, 390
- Loadbearing masonry walls, 534–540
  - building codes, 540
  - detailing for moisture, 539, 540
  - history, 534, 535
  - reinforced brick, 535, 536
  - reinforced CMU, 535–537
  - reinforcement for, 535
  - thermal insulation, 538, 539
- Log construction, see Stacked log construction
- Lumber, 74–84
  - defects, 78, 79
  - dimensions, 82, 83
  - grading, 79–81
  - sawing, 74, 75
  - seasoning, 75–77
  - strength of, 81, 82
  - structural composite, 87–89
  - surfacing, 77
- LVL, see Laminated veneer lumber
- Manufactured housing, 10, 11
- Manufactured stone, 336, 337
- Marketing, 42
- Masonry, 108–141
  - building green with, 141
  - cold and hot weather construction, 139, 140
  - efflorescence in, 140
  - expansion and contraction of, 140
  - history of, 108–111
  - loadbearing walls, 534–540
  - moisture resistance of, 139
- Masonry, brick, 122–134
  - firing of, 122–124
  - grades, 126, 127
  - laying, 127–131
  - loadbearing walls, 535, 536
  - MasterFormat numbers, 141
  - molding of, 122
  - sizes, 125, 126
  - spanning with, 131–134
- Masonry, concrete, 112–121
  - decorative units, 120, 121
  - description of units, 113, 114
  - foundation walls, 198–200
  - laying, 114–118
  - loadbearing walls, 535–537
  - manufacture of units, 112–114
  - MasterFormat numbers, 141

## 626 / Index

- Masonry, concrete (*continued*)  
 reinforcing, 118, 120
- Masonry, stone, 134–137  
 manufactured, 138  
 materials, 134, 135  
 patterns, styles, 136–137
- Masonry loadbearing walls, *see*  
 Loadbearing masonry walls
- Masonry veneer, 336
- MasterFormat*, general, 43, 44  
 carpentry, 104  
 concrete, 163  
 doors, exterior, 318  
 electrical wiring, 397  
 exterior wall finishing, 343  
 fireplaces and stoves, 442  
 foundations, 210  
 framing, 238, 267  
 heating and cooling, 380  
 interior finishes, 482  
 interior surfaces, 460  
 light gauge steel frame, 577  
 masonry, 141  
 plumbing, 358  
 roofing, 296  
 siding, 343  
 sitework, finish, 500  
 thermal insulation, 421  
 windows, 318  
 wood, 104
- Material manufacturers, 8
- Millwork, 474–476
- Moisture content of wood, 76, 77
- Molding, *see* Trim, interior
- Mortar, 111, 112  
 deterioration of, 139, 140
- Multi-unit structures, 16, 17
- Nails, 96–98
- National Association of Homebuilders (NAHB), 9, 43, 44
- Occupational Safety and Health Act (OSHA), 18
- Oriented strand board (OSB), 89
- Owner/designers, 51
- Paints and coatings, exterior, 336–340  
 application of, 339  
 building green with paints, 482  
 deterioration of, 339, 340  
 solvent-based, 338  
 surface preparation, 339  
 types, 338, 339  
 water-based, 338
- Paints and coatings, interior, 481, 482
- Panelized construction, 580–597  
 concept of, 580–582  
 framed panels, 581–586  
 history of, 580  
 panel types, 580–582  
 structural insulated panels, 581, 582, 586–597
- Parallel strand lumber (PSL), 86, 87
- Partition wall, 229–231
- Paving:  
 asphalt, 486–488  
 stone, 488  
 unit, 488
- Perimeter drains, 178
- Permanent wood foundation (PWF), 204, 205
- Piping:  
 gas, 355, 356  
 waste, 348, 349  
 water supply, 346–348
- Planned unit development, (PUD) 15
- Planting, 498, 499
- Platform frame, 214–216
- Plumbing, 346–358  
 basics of, 346  
 building green with, 357, 358  
 codes, 354, 355  
 finish, 354  
 fire sprinkler, 356  
 hydronic heating, 357  
 insulation of, 348  
*MasterFormat* numbers, 358  
 planning for, 350, 351  
 rough-in 35, 353  
 solar water heating, 357  
 supply piping, 346–348  
 under-floor, 352, 353  
 waste piping 348, 349
- Plywood, 89–95  
 siding, 331, 332
- Porches, *see* Decks
- Portland cement, 147, 148
- Potable water, 174, 175
- PSL, *see* Parallel strand lumber
- Publications, construction related, 9
- Radiant panel heating, 370–373  
 radiant floors, 370–373  
 rough-in, 372, 373  
 types, 371, 372
- Rainscreen, 328
- Rammed earth, 511–513  
 building codes, 513  
 construction process, 511–513  
 “greenness” of earth, 529  
 soil, 511
- Realtors, 8
- Rebar, *see* Reinforcing steel
- Recycled content, 22
- Reinforcing steel, 155–157
- Remodeling, 12, 13
- Resilient flooring, 456, 457
- Retaining walls, 490–491
- Roof:  
 deck, 285  
 framing, 242–262  
 insulation of, 402  
 low-slope defined, 285  
 slope, 272, 273  
 steep defined, 273  
 structure, 244, 245  
 trusses, 253–256
- Roof framing, 242–262  
 basic framing, 245–250  
 overframing, 245, 249  
 overhangs, 257–262  
 sheathing, 257  
 trusses, 253–256
- Roofing, 24, 270–296  
 building green with, 296  
 codes, 295  
 drainage, 293, 294  
 edge details, 290–293  
 flashing, 271  
 low-slope, 285–290  
*MasterFormat* numbers, 296  
 steep slope, 273–284  
 underlayment for, 270, 271
- Roofing, low-slope, 285–293  
 membranes for, 287–289  
 thermal insulation for, 285–287  
 traffic decks, 289, 290  
 vapor retarders for, 286
- Roofing, steep, 273–284  
 asphalt shingles, 275–277  
 insulation for, 274  
 roll, 284  
 sheathing for, 273, 274  
 sheet metal, 282–284  
 slate, 280, 281  
 tile, 279, 280  
 vapor retarder for, 274  
 wood shingles and shakes, 278, 279
- Rough sitework, *see* Sitework, rough
- Rumford-style fireplace, 428, 432
- Sandwich panels, *see* Structural insulated panels (SIP)
- Scaffolding, 340, 341
- Schematic design, 57
- Screws, wood, 98
- Scribed log construction, 517, 518
- Septic system, 175–177  
 dosing tank, 177  
 drain field, 175–177  
 sand filter, 177
- Sewage system:  
 municipal sewer, 175  
 septic system, 175–177  
 septic tank, 175–177
- Shear walls, 232, 233

- Sheathing, 216  
 low-slope roof, 285  
 roof, general, 257, 258  
 steep roof, 273, 274  
 wall, 229–233
- Siding, 24, 326–338  
 board, 327–329  
 building green with, 342  
 manufactured stone, 336, 337  
 masonry veneer, 336  
*MasterFormat* numbers, 343  
 metal and vinyl, 330, 331  
 plywood, 331, 332  
 rainscreen, 328  
 shingle, 332–334  
 stucco, 334, 335  
 synthetic stucco, 334–336
- SIP, *see* Structural insulated panels
- Sitework, finish, 486–500  
 fencing, 495–497  
 finish grading, 494, 495  
 green considerations in, 500  
 irrigation, 498  
 lighting, 497  
*MasterFormat* numbers, 500  
 paving systems, 486–488  
 planting, 498, 499  
 porches and decks, 493, 494  
 retaining walls and steps, 489–493
- Sitework, rough, 23, 168–182  
 design of, 168, 169  
 excavation, 170, 171  
 grading, 179–182  
*MasterFormat* numbers, 182  
 plumbing lines, 355  
 site organization, 169  
 site preparation, 169, 170  
 surface drainage, 178, 179  
 utilities, 172–177
- Slab on grade:  
 forming and preparing, 210–203  
 insulation of, 405  
 pouring and finishing, 203, 204
- Slump test, 151, 152
- Softwood, 70–73
- Soils:  
 properties, 188, 189  
 types, 187, 188
- Solar heating, passive, 21
- Solar water heating, 357
- Speculative building 13–16
- Speculative design, 59, 60
- Sprinklers, *see* Irrigation
- Stacked log construction, 514–519  
 building codes, 519  
 chinked and scribed styles, 517, 518  
 construction process, 514–517  
 “greenness” of logs, 529  
 history, 514  
 materials, 514  
 thermal performance, 519  
 unique characteristics, 517–519
- Stair framing, 236–238
- Steel stud construction, *see* Light gauge steel frame
- Steps, outdoor, 489, 492, 493
- Stock plans, 52–55  
 drawbacks of, 54  
 history of, 52–54  
 marketing of, 54  
 use of, 54
- Stone, manufactured, 138, 336, 337
- Stone masonry, *see* Masonry, stone
- Storm drainage, 178, 179
- Stove heaters, 377, 439
- Straw bale construction, 520–528  
 advantages and disadvantages, 528  
 building codes, 529  
 finishing walls, 527  
 “greenness” of bales, 529  
 history, 520  
 infill walls, 524–527  
 loadbearing walls, 523, 524  
 materials, 521, 522  
 window and door openings, 527
- Stressed skin panel, 586
- Structural insulated panels (SIP), 559, 581, 582, 586–597  
 construction process, 591–599  
 design of, 586  
 environmental performance of, 590, 591  
 fire resistance of, 591  
 history of, 586  
 integration of utilities, 586, 588, 589  
 structural performance of, 589  
 thermal performance of, 590
- Stucco, 334, 335
- Stucco, synthetic, 334–336
- Subcontractors, 7, 35, 36
- Subdivision, 15
- Subflooring, 223, 235
- Sustainability, *see* Green Building
- Synthetic stucco, 334–336
- Telephone cable, 177
- Television cable, 177
- Temporary utilities, 172, 173
- Thermal envelope, 400–405
- Thermal insulation, 24, 25, 400–421  
 air infiltration control, 418–420  
 attic, 408, 411  
 basement, 209, 404, 405, 412  
 building green with, 420, 421  
 crawlspace, 209, 404, 412  
 foundation, 209, 210  
 installation of, 410–412  
 levels of, 410  
*MasterFormat* numbers, 421  
 materials, 405–409  
 roof, 402, 403, 411  
 slab-on-grade, 209, 210, 405, 412  
 ventilation of cavities, 414–418  
 walls, 403–405, 410  
 water vapor control in, 412–414
- Tile flooring, 456–459
- Timber frame construction, 550–562  
 building codes, 562  
 building green with, 562  
 construction process, 556–560  
 enclosure of, 552, 553, 559  
 frame shape, 551–553  
 history of, 4, 6  
 joinery, 554–556  
 lateral bracing, 556  
 materials for, 552–554  
 uniqueness of, 551  
 utilities in, 559, 560  
 wood shrinkage in, 556
- Toothed plates, 98, 99
- Toxicity of materials, 22, 23
- Tract housing, 14, 15
- Trade schools, 43
- Trees, 68–71
- Trees and shrubs, 498, 499
- Trim, exterior, 325, 326
- Trim, interior, 474–477  
 casings and baseboards, 476, 477  
 finish stairs, 478–480  
 miscellaneous, 479
- Truss, roof, 252–256
- Underlayment:  
 for flooring, 454  
 for roofing, 270, 271
- Utilities, 24
- Utilities, temporary, 172, 173
- Vapor retarder, 412, 414
- Ventilation, 414–418  
 attic, 414–417  
 crawl space, 417, 418  
 roof, 416
- Vinyl siding, 330, 331
- Volatile organic chemical (VOC), 23
- Walls:  
 framing of, 226–231  
 insulation of, 403, 406, 407
- Wall finish, exterior, 322–342  
 building green with, 342  
*MasterFormat* number, 343  
 paints and coatings, 336–340  
 scaffolding for, 340–341  
 siding, 326–337  
 weather barrier, 323–325
- Wall finish, interior, 446–453  
 board paneling, 452, 453  
 drywall systems, 450–452

**628 / Index**Wall finish, interior (*continued*)

- gypsum board, 446–450
- MasterFormat* numbers, 460
- sheet paneling, 453
- veneer plaster, 452, 453

## Wall heaters, 374, 375

## Walls, retaining, 490, 491

## Weather barrier, 323–325

## Well, 175

## Windows, 300–311

- building green with, 317
- components of, 300, 301
- construction of, 303–306
- energy performance, 300, 306, 307
- glazing, 306, 307
- history, 300
- installing, 308–311
- MasterFormat* numbers, 318

## safety considerations, 307, 308

## testing, 308

## thermal properties, 306, 307

## types, 300–303

## Window schedule, 308, 309

Wiring, *see* Electrical wiring

## Wood, 70–104

## building green with, 102–104

## building components, 102

## chemical treatment of, 95, 96

## construction types, 102

## fasteners, 96–99

## I-joists, 87–89

## laminated, 84, 85

*MasterFormat* numbers, 104

## moisture content, 76, 77

## panel products, 89–95

## products, 84–96

## shrinkage and distortion, 75–77

## Wood flooring, 454, 455

## Wood light frame, 214–266

## building codes, 263, 264

## building green with, 266

## design flexibility, 9

## erecting, 218

## floor framing, 221–226, 234, 235

## history, 4–6, 214, 262

## increased insulation for, 233, 410, 411

*MasterFormat* numbers, 238, 267

## planning for, 216–218

## platform frame, 214–216

## roof framing, 245–262

## stair framing, 236–238

## uniqueness of, 264–266

## wall framing, 226–233

## Zoning ordinance, 9, 17